

Question No.	Questions																																								
1.	Producer gas is mixture of : (1) Carbon monoxide and nitrogen gas (2) Carbon dioxide and hydrogen gas (3) Hydrogen and water vapour (4) Oxygen and nitrogen gas																																								
2.	The digestion process taking place in a biogas plant is termed : (1) Anaerobic (2) Oxidation (3) Reduction (4) Aerobic digestion																																								
3.	Lead is one of the two most toxic chemicals found in petrol, which can cause brain damage and luekaemia, which is other ? (1) Sulphur (2) Benzene (3) Nitrogen oxide (4) SPM																																								
4.	The presence of hydrogen sulphide in biogas causes : (1) Reduction in biogas production rate (2) Corrosive effect (3) Acts as catalyst (4) None of the above																																								
5.	Match the List I and List II and select the correct answer from the codes given below the lists : <table border="1" data-bbox="236 1368 1147 1615" style="margin: 10px auto;"> <thead> <tr> <th></th> <th>List I</th> <th>List II</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Hard acid</td> <td>SO_4^{2-}</td> </tr> <tr> <td>B</td> <td>Soft acid</td> <td>RS^+</td> </tr> <tr> <td>C</td> <td>Hard base</td> <td>$\text{S}_2\text{O}_3^{2-}$</td> </tr> <tr> <td>D</td> <td>Soft base</td> <td>SO_3</td> </tr> </tbody> </table> Codes : <table border="1" data-bbox="236 1659 1147 1962" style="margin: 10px auto;"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>4</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>(2)</td> <td>4</td> <td>2</td> <td>1</td> <td>3</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>2</td> <td>1</td> <td>4</td> </tr> <tr> <td>(4)</td> <td>3</td> <td>2</td> <td>4</td> <td>1</td> </tr> </tbody> </table>		List I	List II	A	Hard acid	SO_4^{2-}	B	Soft acid	RS^+	C	Hard base	$\text{S}_2\text{O}_3^{2-}$	D	Soft base	SO_3		A	B	C	D	(1)	4	1	2	3	(2)	4	2	1	3	(3)	3	2	1	4	(4)	3	2	4	1
	List I	List II																																							
A	Hard acid	SO_4^{2-}																																							
B	Soft acid	RS^+																																							
C	Hard base	$\text{S}_2\text{O}_3^{2-}$																																							
D	Soft base	SO_3																																							
	A	B	C	D																																					
(1)	4	1	2	3																																					
(2)	4	2	1	3																																					
(3)	3	2	1	4																																					
(4)	3	2	4	1																																					

Question No.	Questions																																								
6.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="316 604 1455 884"> <thead> <tr> <th></th> <th>List-I Particulate of the atmosphere)</th> <th>List-II (Characteristics of the particulate)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Aerosol</td> <td>1. Combination of smoke of fog</td> </tr> <tr> <td>B</td> <td>Fly ash</td> <td>2. Minute particles with water</td> </tr> <tr> <td>C</td> <td>Fume</td> <td>3. Emitted by coal burning</td> </tr> <tr> <td>D</td> <td>Smog</td> <td>4. Made up of metal vapour</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="319 940 1236 1232"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>2</td> <td>3</td> <td>1</td> <td>4</td> </tr> <tr> <td>(2)</td> <td>2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>3</td> <td>4</td> <td>1</td> <td>2</td> </tr> </tbody> </table>		List-I Particulate of the atmosphere)	List-II (Characteristics of the particulate)	A	Aerosol	1. Combination of smoke of fog	B	Fly ash	2. Minute particles with water	C	Fume	3. Emitted by coal burning	D	Smog	4. Made up of metal vapour		A	B	C	D	(1)	2	3	1	4	(2)	2	3	4	1	(3)	3	4	2	1	(4)	3	4	1	2
	List-I Particulate of the atmosphere)	List-II (Characteristics of the particulate)																																							
A	Aerosol	1. Combination of smoke of fog																																							
B	Fly ash	2. Minute particles with water																																							
C	Fume	3. Emitted by coal burning																																							
D	Smog	4. Made up of metal vapour																																							
	A	B	C	D																																					
(1)	2	3	1	4																																					
(2)	2	3	4	1																																					
(3)	3	4	2	1																																					
(4)	3	4	1	2																																					
7.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="322 1366 1460 1601"> <thead> <tr> <th></th> <th>List I (Element)</th> <th>List II (Function in the body)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Aluminium</td> <td>1. Needed for normal growth</td> </tr> <tr> <td>B</td> <td>Copper</td> <td>2. Metabolism of Vitamin B12</td> </tr> <tr> <td>C</td> <td>Cobalt</td> <td>3. Electron transport enzyme complex</td> </tr> <tr> <td>D</td> <td>Nickel</td> <td>4. Protein transfer in serum</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="327 1668 1241 1960"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>(2)</td> <td>2</td> <td>4</td> <td>1</td> <td>3</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> </tbody> </table>		List I (Element)	List II (Function in the body)	A	Aluminium	1. Needed for normal growth	B	Copper	2. Metabolism of Vitamin B12	C	Cobalt	3. Electron transport enzyme complex	D	Nickel	4. Protein transfer in serum		A	B	C	D	(1)	1	2	3	4	(2)	2	4	1	3	(3)	3	4	2	1	(4)	4	3	2	1
	List I (Element)	List II (Function in the body)																																							
A	Aluminium	1. Needed for normal growth																																							
B	Copper	2. Metabolism of Vitamin B12																																							
C	Cobalt	3. Electron transport enzyme complex																																							
D	Nickel	4. Protein transfer in serum																																							
	A	B	C	D																																					
(1)	1	2	3	4																																					
(2)	2	4	1	3																																					
(3)	3	4	2	1																																					
(4)	4	3	2	1																																					

Question No.	Questions																												
8.	Match the List I and List II and select the correct answer from the codes given below the lists :																												
<table border="1"> <thead> <tr> <th></th> <th>List I</th> <th>List II</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Food chain</td> <td>1. Relationship of all the organisms in a given habitat</td> </tr> <tr> <td>B</td> <td>Food web</td> <td>2. Distinct communities of a particular</td> </tr> <tr> <td>C</td> <td>Biomes</td> <td>3. Producers, consumers and decomposers is given in a niche</td> </tr> <tr> <td>D</td> <td>Autotroph</td> <td>4. Photosynthesis</td> </tr> </tbody> </table>						List I	List II	A	Food chain	1. Relationship of all the organisms in a given habitat	B	Food web	2. Distinct communities of a particular	C	Biomes	3. Producers, consumers and decomposers is given in a niche	D	Autotroph	4. Photosynthesis										
	List I	List II																											
A	Food chain	1. Relationship of all the organisms in a given habitat																											
B	Food web	2. Distinct communities of a particular																											
C	Biomes	3. Producers, consumers and decomposers is given in a niche																											
D	Autotroph	4. Photosynthesis																											
Codes :																													
<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>(2)</td> <td>3</td> <td>1</td> <td>2</td> <td>4</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> </tbody> </table>						A	B	C	D	(1)	1	2	3	4	(2)	3	1	2	4	(3)	3	4	2	1	(4)	4	3	2	1
	A	B	C	D																									
(1)	1	2	3	4																									
(2)	3	1	2	4																									
(3)	3	4	2	1																									
(4)	4	3	2	1																									
9.	Match the List I and List II and select the correct answer from the codes given below the lists :																												
<table border="1"> <thead> <tr> <th></th> <th>List I</th> <th>List II</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Biomass</td> <td>1. Indirectly supplies all the energy required for sustaining life on the earth</td> </tr> <tr> <td>B</td> <td>Biogas</td> <td>2. Good means of storing diffuse and intermittent solar energy</td> </tr> <tr> <td>C</td> <td>Petro-plants</td> <td>3. An important solution to present energy crisis in rural areas</td> </tr> <tr> <td>D</td> <td>Solar energy</td> <td>4. Sources of liquid hydrocarbon</td> </tr> </tbody> </table>						List I	List II	A	Biomass	1. Indirectly supplies all the energy required for sustaining life on the earth	B	Biogas	2. Good means of storing diffuse and intermittent solar energy	C	Petro-plants	3. An important solution to present energy crisis in rural areas	D	Solar energy	4. Sources of liquid hydrocarbon										
	List I	List II																											
A	Biomass	1. Indirectly supplies all the energy required for sustaining life on the earth																											
B	Biogas	2. Good means of storing diffuse and intermittent solar energy																											
C	Petro-plants	3. An important solution to present energy crisis in rural areas																											
D	Solar energy	4. Sources of liquid hydrocarbon																											
Codes :																													
<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> <tr> <td>(2)</td> <td>3</td> <td>2</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3)</td> <td>2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>4</td> <td>3</td> <td>1</td> <td>2</td> </tr> </tbody> </table>						A	B	C	D	(1)	4	3	2	1	(2)	3	2	4	1	(3)	2	3	4	1	(4)	4	3	1	2
	A	B	C	D																									
(1)	4	3	2	1																									
(2)	3	2	4	1																									
(3)	2	3	4	1																									
(4)	4	3	1	2																									

Question No.	Questions																																								
10.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="274 609 1412 907"> <thead> <tr> <th></th> <th>List I (Pollutant)</th> <th>List II (Sources)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>CO</td> <td>1. Industrial wastage</td> </tr> <tr> <td>B</td> <td>NO₂</td> <td>2. Crushing and burning of coal</td> </tr> <tr> <td>C</td> <td>SO₂</td> <td>3. Incomplete burning of carbonaceous fuel</td> </tr> <tr> <td>D</td> <td>H₂S</td> <td>4. Electric power generators and automobiles, which use fossil fuels</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="268 1019 1177 1265"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> <tr> <td>(2)</td> <td>2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>1</td> <td>2</td> </tr> <tr> <td>(4)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> </tbody> </table>		List I (Pollutant)	List II (Sources)	A	CO	1. Industrial wastage	B	NO ₂	2. Crushing and burning of coal	C	SO ₂	3. Incomplete burning of carbonaceous fuel	D	H ₂ S	4. Electric power generators and automobiles, which use fossil fuels		A	B	C	D	(1)	4	3	2	1	(2)	2	3	4	1	(3)	3	4	1	2	(4)	3	4	2	1
	List I (Pollutant)	List II (Sources)																																							
A	CO	1. Industrial wastage																																							
B	NO ₂	2. Crushing and burning of coal																																							
C	SO ₂	3. Incomplete burning of carbonaceous fuel																																							
D	H ₂ S	4. Electric power generators and automobiles, which use fossil fuels																																							
	A	B	C	D																																					
(1)	4	3	2	1																																					
(2)	2	3	4	1																																					
(3)	3	4	1	2																																					
(4)	3	4	2	1																																					
11.	<p>Acid rain is global concern for the ecologist and environmental conservationists for which of the following reasons ?</p> <p>(a) The acid pollutants emitted in one country may be deposited as acid precipitation in other countries</p> <p>(b) Acid rain affects both aquatic system as well vegetation</p> <p>(c) It has distinct effect on soil microbiology and chemistry</p> <p>Select the correct answer using the codes given below :</p> <p>(1) a, b and c (2) a and b</p> <p>(3) a and c (4) b and c</p>																																								

Question No.	Questions				
12.	Match the List I and List II and select the correct answer from the codes given below the lists :				
	List I (pollutants)	List II (Impacts)			
	A Sulphur oxides	1. Irritate eyes and nose, create brown haze, causes visible leaf damage, stunts plant growth			
	B Nitrogen oxides	2. Causes headaches, dizziness and nausea, reduces oxygen level in blood, impairs mental processes			
	C Carbon monoxide	3. Causes cancer, retards plant growth			
	D Hydrocarbon	4. Corrodes metal, causes acute and chronic leaf injury, attacks a wide variety of trees			
	Codes :				
		A	B	C	D
	(1)	4	1	2	3
	(2)	2	3	4	1
	(3)	3	4	2	1
	(4)	4	3	1	2
13.	Match the List I and List II and select the correct answer from the codes given below the lists :				
	List I (water contaminant)	List II (Impacts)			
	A Pathogens	1. Lead to the growth of undesired aquatic life			
	B Heavy metals	2. Transmit communicable disease			
	C Nutrients	3. Are common in landfill leachate and waste water			
	D Suspended	4. Lead to the development of sludge deposits			
	Codes :				
		A	B	C	D
	(1)	4	3	2	1
	(2)	2	3	4	1
	(3)	2	3	1	4
	(4)	4	3	1	2

Question No.	Questions
26.	<p>Which satellite recorded the presence of an ozone hole ?</p> <p>(1) TIROS-N (2) GOES</p> <p>(3) NIMBUS-7 (4) Landstat-3</p>
27.	<p>Who changed the name of kubabul, one of the popular tree species suited for afforestation, to subabul ?</p> <p>(1) Manibhai Desai (2) Lal Bahadur Shastri</p> <p>(3) A.K.N. Reddy (4) Indira Gandhi</p>
28.	<p>The heavy metal that has seen application as a fungicide and is responsible for a type of poisoning called Hatter's shakes is ?</p> <p>(1) Mercury (2) Lead</p> <p>(3) Cadmium (4) Arsenic</p>
29.	<p>The major route for widespread distribution more persistent pesticide is:</p> <p>(1) soil (2) water</p> <p>(3) living organism (4) atmosphere</p>
30.	<p>Who used the term 'hot dilute soup' for Darwin's warm little pond ?</p> <p>(1) Oparin (2) Haldane</p> <p>(3) Lamarck (4) Wallace</p>
31.	<p>The bird Dodo became extinct because of :</p> <p>(1) its beautiful feather (2) its fearlessness</p> <p>(3) its curved beak (4) its melodious songs</p>
32.	<p>Which place is often referred to as the valley of deaths ?</p> <p>(1) Cubato, Brazil (2) Chernobyl, USSR</p> <p>(3) Palo alto, USA (4) Nainital, India</p>

Question No.	Questions
39.	Manometer is a device used for measuring : (1) Velocity of a point in a fluid (2) Pressusre at a point in a fluid (3) Discharge of a fluid (4) None of these
40.	The point through which the buoyancy force is acting is called : (1) Centre of pressure (2) Centre of gravity (3) Centre of buoyant force (4) None of these
41.	Notch is a device used for measuring the : (1) Rate of flow through pipes (2) Rate of flow through a small channel (3) Velocity through a pipe (4) Velocity through a sn. ll channel
42.	Rotameter is used for measuring : (1) Density of fluid (2) Velocity of fluid in pipes (3) Discharge of fluids (4) Viscosity of fluids
43.	One horse power is equal to : (1) 746 watts (2) 736 watts (3) 550 watts (4) 75 watts
44.	Beat is equal to : (1) One oscillation (2) Twice the oscillation (3) Half the oscillation (4) None of these
45.	A perfect gas obeys (1) Boyle's law (2) Charle's law (3) Boyle's and Charle's law (4) None of these

Question No.	Questions
46.	<p>The sum of internal energy and product of pressure and volume is called :</p> <p>(1) Entropy (2) Enthalpy (3) Heat supplied (4) None of these</p>
47.	<p>The compression ratios for engine is :</p> <p>(1) 5 to 8 (2) 15 to 20 (3) 3 to 6 (4) 30 to 40</p>
48.	<p>One bar is equal to :</p> <p>(1) 1.033 kgf/cm² (2) 14.7 kgf/cm² (3) 1.0197 kgf/cm² (4) 1 kgf/cm²</p>
49.	<p>Of the following gases, which one suffocates living beings even to death ?</p> <p>(1) carbon dioxide (2) carbon monoxide (3) hydrogen sulphide (4) sulphur dioxide</p>
50.	<p>A gas follows the law $PV^n = C$, of the value of $n = 1$, the process is known as :</p> <p>(1) adiabatic (2) isothermal (3) isotropic (4) polytropic</p>
51.	<p>The radioactive isotope of hydrogen is called :</p> <p>(1) Radium (2) Protium (3) Deuterium (4) Tritium</p>
52.	<p>The material used to control neutrons are produced by the use of :</p> <p>(1) Heavy water (2) Paraffin (3) Graphite (4) Thorium</p>

Question No.	Questions																				
53.	Polythene is polymer of : (1) Isobutane (2) Ethylene (3) Vinyl chloride (4) Propylene																				
54.	The following residual chlorine compounds are formed during the chlorination of water (a) NH_3Cl (b) NHCl_2 (c) HOCl (d) OCl (1) b, a, c, d (2) a, b, d, c (3) a, b, c, d (4) b, a, d, c																				
55.	Match the following : <table border="1" data-bbox="277 1025 1410 1330"> <thead> <tr> <th colspan="2">Set A</th> <th colspan="2">Set B</th> </tr> </thead> <tbody> <tr> <td>i</td> <td>Recarbonation</td> <td>1</td> <td>Activated carbon</td> </tr> <tr> <td>ii</td> <td>Chlorination</td> <td>2</td> <td>Trihalomethanes</td> </tr> <tr> <td>iii</td> <td>Taste & odour</td> <td>3</td> <td>Lime soda process</td> </tr> <tr> <td>iv</td> <td>Temperature inversion</td> <td>4</td> <td>Smog</td> </tr> </tbody> </table> (1) i-2 ii-1 iii-3 iv-4 (2) i-3 ii-2 iii-1 iv-4 (3) i-1 ii-3 iii-4 iv-2 (4) i-4 ii-3 iii-2 iv-1	Set A		Set B		i	Recarbonation	1	Activated carbon	ii	Chlorination	2	Trihalomethanes	iii	Taste & odour	3	Lime soda process	iv	Temperature inversion	4	Smog
Set A		Set B																			
i	Recarbonation	1	Activated carbon																		
ii	Chlorination	2	Trihalomethanes																		
iii	Taste & odour	3	Lime soda process																		
iv	Temperature inversion	4	Smog																		
56.	In sanitary landfill, decomposition and chemical changes within organic content of the solid waste goes on. Consequential changes within land fill can be (a) Temperature changes within land fill (b) Product of gases like H_2S , CO , CO_2 & CH_4 (c) Destruction of pathogens (d) Production of other gases like SO_2 and NO_2 Which of these statements are correct ? (1) a, b, c and d (2) a, b and c (3) a and b (4) b and c																				

Question No.	Questions																				
57.	Methane formers are : (1) Obligate aerobes (2) Facultative bacteria (3) Obligate anaerobes (4) None of the above																				
58.	Index of pollution in case of stream is : (1) Color and Turbidity (2) DO and BOD (3) Flora and Fauna (4) All of the above																				
59.	The maximum damage to the "Taj Mahal" is because of the gas : (1) CO ₂ (2) CO (3) SO ₂ (4) All of the above																				
60.	Match the following : <table border="1" data-bbox="240 1249 1378 1541"> <thead> <tr> <th colspan="2">Set A</th> <th colspan="2">Set B</th> </tr> </thead> <tbody> <tr> <td>i</td> <td>Acidity</td> <td>I</td> <td>Particulate matter</td> </tr> <tr> <td>ii</td> <td>Alum</td> <td>II</td> <td>Oils and grease</td> </tr> <tr> <td>iii</td> <td>Cyclone</td> <td>III</td> <td>Flocculation</td> </tr> <tr> <td>iv</td> <td>Skimming tank</td> <td>IV</td> <td>Carbon dioxide</td> </tr> </tbody> </table> (1) i-III ii-I iii-IV iv-II (2) i-IV ii-III iii-I iv-II (3) i-IV ii-II iii-III iv-I (4) i-II ii-III iii-IV iv-I	Set A		Set B		i	Acidity	I	Particulate matter	ii	Alum	II	Oils and grease	iii	Cyclone	III	Flocculation	iv	Skimming tank	IV	Carbon dioxide
Set A		Set B																			
i	Acidity	I	Particulate matter																		
ii	Alum	II	Oils and grease																		
iii	Cyclone	III	Flocculation																		
iv	Skimming tank	IV	Carbon dioxide																		
61.	For an average Indian city, solid waste generated may be assessed per capita per day as : (1) 0.2 kg (2) 0.4 kg (3) 1.0 Kg (4) 2.0 kg																				

Question No.	Questions
62.	At break point of chlorination : (1) Chlorine is used to oxidize (2) Residual chlorine is zero (3) Residual chlorine is maximum (4) Residual chlorine reappears
63.	The correct statement of comparison of ultimate BOD, COD, Theoretical oxygen demand (THOD) and 5 day BOD is : (1) $BOD_{\mu} > COD > ThOD > BOD_5$ (2) $COD > ThOD > BOD_{\mu} > BOD_5$ (3) $ThOD > COD > BOD_{\mu} > BOD_5$ (4) $COD > FOD_{\mu} > BOD_5 > ThOD$
64.	The alkalinity of a water sample is 80 mg/L as $CaCO_3$. If the total hardness of the water sample is 112 mg/L as $CaCO_3$. What will be the carbonate and non-carbonate (in mg/L as $CaCO_3$) ? (1) 32 (2) 192 (3) 152 (4) 114
65.	If 20 lb of 10% strength solution is mixed with 30 lb of 1% strength solution. What is the percent strength of the mixture ? (1) 4.6 (2) 6.6 (3) 46 (4) 2.6
66.	Which of the instrument is based on Lambert Beer's law ? (1) Spectrophotometer (2) GLC (3) HPLC (4) AAS

Question No.	Questions
73.	<p>The reliability of Gaussian Plume model is :</p> <p>(1) 98% (2) 95%</p> <p>(3) 70% (4) 50%</p>
74.	<p>In the ECD of gas chromatograph the electrons are :</p> <p>(1) Captured by the determinant species</p> <p>(2) Generated by the determinant species</p> <p>(3) Generated by nitrogen gas</p> <p>(4) None of the above</p>
75.	<p>Which prevent the entry of foul gas and allows ventilation ?</p> <p>(1) Intercepting trap (2) Fresh air inlet</p> <p>(3) Gully trap (4) Flushing cistern</p>
76.	<p>Electrostatic precipitators are used as pollution control device for the removal of :</p> <p>(1) SO₂</p> <p>(2) NO_x</p> <p>(3) Suspended particulate matter</p> <p>(4) Volatile fatty acids</p>
77.	<p>Ozone layer in the upper atmosphere is getting depleted owing to its reaction with pollutant like :</p> <p>(1) Hydrogen peroxide (2) Carbon monoxide</p> <p>(3) Chlorofluoro carbon (4) Volatile fatty acids</p>

Question No.	Questions																		
81.	<p>Match list I (Treatment Units) with List II (Type of process) and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 50%;">List I</td> <td style="text-align: center; width: 50%;">List II</td> </tr> <tr> <td style="text-align: center;">(Treatment Units)</td> <td style="text-align: center;">(Type of process)</td> </tr> <tr> <td>a. Trickling filter</td> <td>1. Symbiotic</td> </tr> <tr> <td>b. Activated sludge process</td> <td>2. Extended aeration</td> </tr> <tr> <td>c. Oxidation ditch</td> <td>3. Suspended growth</td> </tr> <tr> <td>d. Oxidation pond</td> <td>4. Attached growth</td> </tr> </table> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 50%;">A B C D</td> <td style="text-align: center; width: 50%;">A B C D</td> </tr> <tr> <td>(1) 3 4 2 1</td> <td>(2) 4 3 1 2</td> </tr> <tr> <td>(3) 3 4 1 2</td> <td>(4) 4 3 2 1</td> </tr> </table>	List I	List II	(Treatment Units)	(Type of process)	a. Trickling filter	1. Symbiotic	b. Activated sludge process	2. Extended aeration	c. Oxidation ditch	3. Suspended growth	d. Oxidation pond	4. Attached growth	A B C D	A B C D	(1) 3 4 2 1	(2) 4 3 1 2	(3) 3 4 1 2	(4) 4 3 2 1
List I	List II																		
(Treatment Units)	(Type of process)																		
a. Trickling filter	1. Symbiotic																		
b. Activated sludge process	2. Extended aeration																		
c. Oxidation ditch	3. Suspended growth																		
d. Oxidation pond	4. Attached growth																		
A B C D	A B C D																		
(1) 3 4 2 1	(2) 4 3 1 2																		
(3) 3 4 1 2	(4) 4 3 2 1																		
82.	<p>Function of algae in oxidation pond is to :</p> <ol style="list-style-type: none"> (1) Provide a mat over surface of the oxidation pond so as to prevent evaporation of water (2) Provide oxygen for bacteria to degrade organic matter (3) Provide a greenish appearance to the pond (4) Prevent the odour nuisance 																		
83.	<p>When sewage enters a following river, the rapid depletion of dissolved oxygen is due to :</p> <ol style="list-style-type: none"> (1) Change in temperature of the river (2) The suspended particles in the river and waste (3) Respiratory activity of aquatic plants (4) Microbial activity 																		

Question No.	Questions																										
88.	<p>Match List I (Nature of the solid) with List II (Unit operation or process connected with its removal) and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List I</p> <p>a. Dissolved solids</p> <p>b. Colloidal solids</p> <p>c. Volatile solids</p> <p>d. Settleable solids</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;">B</td> <td style="text-align: center;">C</td> <td style="text-align: center;">D</td> </tr> <tr> <td>(1) 2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3) 2</td> <td>3</td> <td>1</td> <td>4</td> </tr> </table> </td> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List II</p> <p>1. Sedimentation</p> <p>2. Reverse osmosis</p> <p>3. Coagulation</p> <p>4. Digestion</p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;">B</td> <td style="text-align: center;">C</td> <td style="text-align: center;">D</td> </tr> <tr> <td>(2) 3</td> <td>2</td> <td>4</td> <td>1</td> </tr> <tr> <td>(4) 3</td> <td>2</td> <td>1</td> <td>4</td> </tr> </table> </td> </tr> </table>	<p style="text-align: center;">List I</p> <p>a. Dissolved solids</p> <p>b. Colloidal solids</p> <p>c. Volatile solids</p> <p>d. Settleable solids</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;">B</td> <td style="text-align: center;">C</td> <td style="text-align: center;">D</td> </tr> <tr> <td>(1) 2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3) 2</td> <td>3</td> <td>1</td> <td>4</td> </tr> </table>	A	B	C	D	(1) 2	3	4	1	(3) 2	3	1	4	<p style="text-align: center;">List II</p> <p>1. Sedimentation</p> <p>2. Reverse osmosis</p> <p>3. Coagulation</p> <p>4. Digestion</p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;">B</td> <td style="text-align: center;">C</td> <td style="text-align: center;">D</td> </tr> <tr> <td>(2) 3</td> <td>2</td> <td>4</td> <td>1</td> </tr> <tr> <td>(4) 3</td> <td>2</td> <td>1</td> <td>4</td> </tr> </table>	A	B	C	D	(2) 3	2	4	1	(4) 3	2	1	4
<p style="text-align: center;">List I</p> <p>a. Dissolved solids</p> <p>b. Colloidal solids</p> <p>c. Volatile solids</p> <p>d. Settleable solids</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;">B</td> <td style="text-align: center;">C</td> <td style="text-align: center;">D</td> </tr> <tr> <td>(1) 2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3) 2</td> <td>3</td> <td>1</td> <td>4</td> </tr> </table>	A	B	C	D	(1) 2	3	4	1	(3) 2	3	1	4	<p style="text-align: center;">List II</p> <p>1. Sedimentation</p> <p>2. Reverse osmosis</p> <p>3. Coagulation</p> <p>4. Digestion</p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;">B</td> <td style="text-align: center;">C</td> <td style="text-align: center;">D</td> </tr> <tr> <td>(2) 3</td> <td>2</td> <td>4</td> <td>1</td> </tr> <tr> <td>(4) 3</td> <td>2</td> <td>1</td> <td>4</td> </tr> </table>	A	B	C	D	(2) 3	2	4	1	(4) 3	2	1	4		
A	B	C	D																								
(1) 2	3	4	1																								
(3) 2	3	1	4																								
A	B	C	D																								
(2) 3	2	4	1																								
(4) 3	2	1	4																								
89.	<p>Which of the materials are used as landfill sealants for the control of gas and leachate movements ?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(a) Lime</td> <td style="width: 50%;">(b) Sand</td> </tr> <tr> <td>(c) Bentonite</td> <td>(d) Fly ash</td> </tr> <tr> <td>(e) Butyl rubber</td> <td></td> </tr> </table> <p>Select the correct answer using the codes given below :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(1) a, b and c</td> <td style="width: 50%;">(2) d and e</td> </tr> <tr> <td>(3) c and e</td> <td>(4) a, b and d</td> </tr> </table>	(a) Lime	(b) Sand	(c) Bentonite	(d) Fly ash	(e) Butyl rubber		(1) a, b and c	(2) d and e	(3) c and e	(4) a, b and d																
(a) Lime	(b) Sand																										
(c) Bentonite	(d) Fly ash																										
(e) Butyl rubber																											
(1) a, b and c	(2) d and e																										
(3) c and e	(4) a, b and d																										
90.	<p>Which of the following air pollutants is/are responsible for photochemical smog ?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(a) Oxides of nitrogen</td> <td style="width: 50%;">(b) Ozone</td> </tr> <tr> <td>(c) Unburnt hydrocarbons</td> <td>(d) Carbon monoxide</td> </tr> </table> <p>Code :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(1) a and b</td> <td style="width: 50%;">(2) c and d</td> </tr> <tr> <td>(3) b and d</td> <td>(4) a and d</td> </tr> </table>	(a) Oxides of nitrogen	(b) Ozone	(c) Unburnt hydrocarbons	(d) Carbon monoxide	(1) a and b	(2) c and d	(3) b and d	(4) a and d																		
(a) Oxides of nitrogen	(b) Ozone																										
(c) Unburnt hydrocarbons	(d) Carbon monoxide																										
(1) a and b	(2) c and d																										
(3) b and d	(4) a and d																										

Question No.	Questions																																
91.	<p>Match List I with List II and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List I</p> <p>a. Sludge disposal</p> <p>b. Sludge digestion</p> <p>c. Aerobic action</p> <p>d. Recirculation</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> </tr> </table> </td> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List II</p> <p>1. Seeding</p> <p>2. Biofilters</p> <p>3. Laggoning</p> <p>4. Contact bed</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> </table> </td> </tr> </table>	<p style="text-align: center;">List I</p> <p>a. Sludge disposal</p> <p>b. Sludge digestion</p> <p>c. Aerobic action</p> <p>d. Recirculation</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> </tr> </table>		A	B	C	D	(1)	3	1	4	2	(3)	1	3	2	4	<p style="text-align: center;">List II</p> <p>1. Seeding</p> <p>2. Biofilters</p> <p>3. Laggoning</p> <p>4. Contact bed</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> </table>		A	B	C	D	(2)	3	1	2	4	(4)	1	3	4	2
<p style="text-align: center;">List I</p> <p>a. Sludge disposal</p> <p>b. Sludge digestion</p> <p>c. Aerobic action</p> <p>d. Recirculation</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> </tr> </table>		A	B	C	D	(1)	3	1	4	2	(3)	1	3	2	4	<p style="text-align: center;">List II</p> <p>1. Seeding</p> <p>2. Biofilters</p> <p>3. Laggoning</p> <p>4. Contact bed</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> </table>		A	B	C	D	(2)	3	1	2	4	(4)	1	3	4	2		
	A	B	C	D																													
(1)	3	1	4	2																													
(3)	1	3	2	4																													
	A	B	C	D																													
(2)	3	1	2	4																													
(4)	1	3	4	2																													
92.	<p>Ringlemann's scale is used to :</p> <p>(1) Measure CO</p> <p>(2) Measure CO₂</p> <p>(3) Grade density of smoke</p> <p>(4) Grade automobile exhaust gas</p>																																
93.	<p>Which of the following pair is not correctly matched ?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(1) BOD</td> <td style="width: 50%;">Strength</td> </tr> <tr> <td>(2) Methane</td> <td>Product of anaerobic decomposition</td> </tr> <tr> <td>(3) COD</td> <td>Biodegradability of waste water</td> </tr> <tr> <td>(4) Nitrate</td> <td>Methamoglobinemia</td> </tr> </table>	(1) BOD	Strength	(2) Methane	Product of anaerobic decomposition	(3) COD	Biodegradability of waste water	(4) Nitrate	Methamoglobinemia																								
(1) BOD	Strength																																
(2) Methane	Product of anaerobic decomposition																																
(3) COD	Biodegradability of waste water																																
(4) Nitrate	Methamoglobinemia																																

Question No.	Questions																																		
94.	<p>The atmosphere extends up to height of 10,000 km. It is divided into four thermal layers.</p> <p>(a) Mesosphere (b) Stratosphere (c) Thermosphere (d) Troposphere</p> <p>The correct sequence of these layers starting from the surface of earth upward is</p> <p>(1) a, d, a, c (2) d, b, a, c (3) d, b, c, a (4) b, d, c, a</p>																																		
95.	<p>Coal based thermal power plant stations pollute the atmosphere by adding</p> <p>(1) NO_x and SO_x (2) NO_x, SO₂ and SPM (3) NO_x, SO₂, SPM and CO (4) NO_x, SPM and CO</p>																																		
96.	<p>Match List I with List II and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>List I (Cause)</p> <p>a. Carbon monoxide b. Carbon dioxide c. Methane d. Sulphur dioxide</p> </td> <td style="width: 50%; vertical-align: top;"> <p>List II (Effect)</p> <p>1. Acid rain 2. Explosion 3. Asphyxiation 4. Green house effect</p> </td> </tr> </table> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; text-align: center;"> <table style="border: none;"> <tr> <td></td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> </tr> <tr> <td>(1)</td> <td>2</td> <td>3</td> <td>1</td> <td>4</td> </tr> <tr> <td>(3)</td> <td>1</td> <td>3</td> <td>4</td> <td>2</td> </tr> </table> </td> <td style="width: 50%; text-align: center;"> <table style="border: none;"> <tr> <td></td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> </tr> <tr> <td>(2)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>4</td> <td>2</td> <td>1</td> <td>3</td> </tr> </table> </td> </tr> </table>	<p>List I (Cause)</p> <p>a. Carbon monoxide b. Carbon dioxide c. Methane d. Sulphur dioxide</p>	<p>List II (Effect)</p> <p>1. Acid rain 2. Explosion 3. Asphyxiation 4. Green house effect</p>	<table style="border: none;"> <tr> <td></td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> </tr> <tr> <td>(1)</td> <td>2</td> <td>3</td> <td>1</td> <td>4</td> </tr> <tr> <td>(3)</td> <td>1</td> <td>3</td> <td>4</td> <td>2</td> </tr> </table>		A	B	C	D	(1)	2	3	1	4	(3)	1	3	4	2	<table style="border: none;"> <tr> <td></td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> </tr> <tr> <td>(2)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>4</td> <td>2</td> <td>1</td> <td>3</td> </tr> </table>		A	B	C	D	(2)	3	4	2	1	(4)	4	2	1	3
<p>List I (Cause)</p> <p>a. Carbon monoxide b. Carbon dioxide c. Methane d. Sulphur dioxide</p>	<p>List II (Effect)</p> <p>1. Acid rain 2. Explosion 3. Asphyxiation 4. Green house effect</p>																																		
<table style="border: none;"> <tr> <td></td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> </tr> <tr> <td>(1)</td> <td>2</td> <td>3</td> <td>1</td> <td>4</td> </tr> <tr> <td>(3)</td> <td>1</td> <td>3</td> <td>4</td> <td>2</td> </tr> </table>		A	B	C	D	(1)	2	3	1	4	(3)	1	3	4	2	<table style="border: none;"> <tr> <td></td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> </tr> <tr> <td>(2)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>4</td> <td>2</td> <td>1</td> <td>3</td> </tr> </table>		A	B	C	D	(2)	3	4	2	1	(4)	4	2	1	3				
	A	B	C	D																															
(1)	2	3	1	4																															
(3)	1	3	4	2																															
	A	B	C	D																															
(2)	3	4	2	1																															
(4)	4	2	1	3																															

Question No.	Questions
97.	<p>Choose the correct answer :</p> <p>The stabilization of sewage in oxidation pond is due to action of :</p> <ul style="list-style-type: none">(1) Aerobic and anaerobic bacteria(2) Algae and bacteria(3) Organic and inorganic compound(4) Algae and protozoa
98.	<p>Inversion is characterized by :</p> <ul style="list-style-type: none">(1) Upper cold and lower warm layer(2) Upper warm and lower cold layer(3) Both of the above(4) None of these
99.	<p>Asbestos 'Silent Killer' can cause death of worker due to :</p> <ul style="list-style-type: none">(1) Heart attack(2) Lung cancer(3) Kidney failure(4) Brain damage
100.	<p>Which is the first indoor pollutant of which the masses become aware ?</p> <ul style="list-style-type: none">(1) Carbon dioxide(2) Formaldehyde(3) Radon(4) Ozone

Question No.	Questions																																								
1.	<p>Acid rain is global concern for the ecologist and environmental conservationists for which of the following reasons ?</p> <p>(a) The acid pollutants emitted in one country may be deposited as acid precipitation in other countries</p> <p>(b) Acid rain affects both aquatic system as well vegetation</p> <p>(c) It has distinct effect on soil microbiology and chemistry</p> <p>Select the correct answer using the codes given below :</p> <p>(1) a, b and c (2) a and b</p> <p>(3) a and c (4) b and c</p>																																								
2.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="284 1234 1417 1592"> <thead> <tr> <th></th> <th>List I (pollutants)</th> <th>List II (Impacts)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Sulphur oxides</td> <td>1. Irritate eyes and nose, create brown haze, causes visible leaf damage, stunts plant growth</td> </tr> <tr> <td>B</td> <td>Nitrogen oxides</td> <td>2. Causes headaches, dizziness and nausea, reduces oxygen level in blood, impairs mental processes</td> </tr> <tr> <td>C</td> <td>Carbon monoxide</td> <td>3. Causes cancer, retards plant growth</td> </tr> <tr> <td>D</td> <td>Hydrocarbon</td> <td>4. Corrodes metal, causes acute and chronic leaf injury, attacks a wide variety of trees</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="288 1697 1198 1921"> <tbody> <tr> <td></td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> </tr> <tr> <td>(1)</td> <td>4</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>(2)</td> <td>2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>4</td> <td>3</td> <td>1</td> <td>2</td> </tr> </tbody> </table>		List I (pollutants)	List II (Impacts)	A	Sulphur oxides	1. Irritate eyes and nose, create brown haze, causes visible leaf damage, stunts plant growth	B	Nitrogen oxides	2. Causes headaches, dizziness and nausea, reduces oxygen level in blood, impairs mental processes	C	Carbon monoxide	3. Causes cancer, retards plant growth	D	Hydrocarbon	4. Corrodes metal, causes acute and chronic leaf injury, attacks a wide variety of trees		A	B	C	D	(1)	4	1	2	3	(2)	2	3	4	1	(3)	3	4	2	1	(4)	4	3	1	2
	List I (pollutants)	List II (Impacts)																																							
A	Sulphur oxides	1. Irritate eyes and nose, create brown haze, causes visible leaf damage, stunts plant growth																																							
B	Nitrogen oxides	2. Causes headaches, dizziness and nausea, reduces oxygen level in blood, impairs mental processes																																							
C	Carbon monoxide	3. Causes cancer, retards plant growth																																							
D	Hydrocarbon	4. Corrodes metal, causes acute and chronic leaf injury, attacks a wide variety of trees																																							
	A	B	C	D																																					
(1)	4	1	2	3																																					
(2)	2	3	4	1																																					
(3)	3	4	2	1																																					
(4)	4	3	1	2																																					

Question No.	Questions																
7.	Which of the following is correct statement about CCl_4 ? (1) CCl_4 is used to extinguish the fire under the name Pyrene (2) CCl_4 resist to hydrolysis while leaving water due to non availability of d-orbital in carbon (3) $\text{CCl}_4 \xrightarrow{\text{AgNO}_3} \text{No ppt}$ (4) All of the above																
8.	If the liquid is dispersed in solid medium, then this is called as : (1) Sol (2) emulsion (3) liquid aerosol (4) Gel																
9.	In which case, the order of acidic strength is not corrected ? (1) $\text{HI} > \text{HBr} > \text{HCl}$ (2) $\text{HIO}_4 > \text{HBrO}_4 > \text{HClO}_4$ (3) $\text{HClO}_4 > \text{HClO}_3 > \text{HClO}_2$ (4) $\text{HF} > \text{H}_2\text{O} > \text{NH}_3$																
10.	The correct order of acidic strength of the Carboxylic acid is : (1) Formic acid < benzoic acid < acetic acid (2) Formic acid < acetic acid < benzoic acid (3) Acetic acid < formic acid < benzoic acid (4) Acetic acid < benzoic acid < formic acid																
11.	Match List I with List II and select the correct answer using the codes given below the lists : <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">List I</td> <td style="text-align: center;">List II</td> </tr> <tr> <td>a. Sludge disposal</td> <td>1. Seeding</td> </tr> <tr> <td>b. Sludge digestion</td> <td>2. Biofilters</td> </tr> <tr> <td>c. Aerobic action</td> <td>3. Laggoning</td> </tr> <tr> <td>d. Recirculation</td> <td>4. Contact bed</td> </tr> </table> Codes : <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">A B C D</td> <td style="text-align: center;">A B C D</td> </tr> <tr> <td>(1) 3 1 4 2</td> <td>(2) 3 1 2 4</td> </tr> <tr> <td>(3) 1 3 2 4</td> <td>(4) 1 3 4 2</td> </tr> </table>	List I	List II	a. Sludge disposal	1. Seeding	b. Sludge digestion	2. Biofilters	c. Aerobic action	3. Laggoning	d. Recirculation	4. Contact bed	A B C D	A B C D	(1) 3 1 4 2	(2) 3 1 2 4	(3) 1 3 2 4	(4) 1 3 4 2
List I	List II																
a. Sludge disposal	1. Seeding																
b. Sludge digestion	2. Biofilters																
c. Aerobic action	3. Laggoning																
d. Recirculation	4. Contact bed																
A B C D	A B C D																
(1) 3 1 4 2	(2) 3 1 2 4																
(3) 1 3 2 4	(4) 1 3 4 2																

Question No.	Questions																																
16.	<p>Match List I with List II and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List I (Cause)</p> <p>a. Carbon monoxide</p> <p>b. Carbon dioxide</p> <p>c. Methane</p> <p>d. Sulphur dioxide</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> </table> </td> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List II (Effect)</p> <p>1. Acid rain</p> <p>2. Explosion</p> <p>3. Asphyxiation</p> <p>4. Green house effect</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> </tr> </table> </td> </tr> </table>	<p style="text-align: center;">List I (Cause)</p> <p>a. Carbon monoxide</p> <p>b. Carbon dioxide</p> <p>c. Methane</p> <p>d. Sulphur dioxide</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> </table>		A	B	C	D	(1)	2	3	1	4	(3)	1	3	4	2	<p style="text-align: center;">List II (Effect)</p> <p>1. Acid rain</p> <p>2. Explosion</p> <p>3. Asphyxiation</p> <p>4. Green house effect</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> </tr> </table>		A	B	C	D	(2)	3	4	2	1	(4)	4	2	1	3
<p style="text-align: center;">List I (Cause)</p> <p>a. Carbon monoxide</p> <p>b. Carbon dioxide</p> <p>c. Methane</p> <p>d. Sulphur dioxide</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> </table>		A	B	C	D	(1)	2	3	1	4	(3)	1	3	4	2	<p style="text-align: center;">List II (Effect)</p> <p>1. Acid rain</p> <p>2. Explosion</p> <p>3. Asphyxiation</p> <p>4. Green house effect</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> </tr> </table>		A	B	C	D	(2)	3	4	2	1	(4)	4	2	1	3		
	A	B	C	D																													
(1)	2	3	1	4																													
(3)	1	3	4	2																													
	A	B	C	D																													
(2)	3	4	2	1																													
(4)	4	2	1	3																													
17.	<p>Choose the correct answer :</p> <p>The stabilization of sewage in oxidation pond is due to action of :</p> <p>(1) Aerobic and anaerobic bacteria</p> <p>(2) Algae and bacteria</p> <p>(3) Organic and inorganic compound</p> <p>(4) Algae and protozoa</p>																																
18.	<p>Inversion is characterized by :</p> <p>(1) Upper cold and lower warm layer</p> <p>(2) Upper warm and lower cold layer</p> <p>(3) Both of the above</p> <p>(4) None of these</p>																																

Question No.	Questions
29.	Which of the following pairs are correctly matched ? (1) SPM – a. Blood hemoglobin (2) NO – b. Vegetation (3) CO – c. Respiratory system (4) SO ₂ – d. Building materials
30.	Which of the following pairs are correctly matched ? (1) Reverberation time a. Time required to reduce noise by 60dB (2) NIPTS b. Responsible for permanent hearing loss (3) Sound fo i c. Formed when sound waves are reflected from the convex surface (4) TTS d. Responsible for temporary hearing loss
31.	The radioactive isotope of hydrogen is called : (1) Radium (2) Protium (3) Deuterium (4) Tritium
32.	The material used to control neutrons are produced by the use of : (1) Heavy water (2) Paraffin (3) Graphite (4) Thorium
33.	Polythene is polymer of : (1) Isobutane (2) Ethylene (3) Vinyl chloride (4) Propylene

Question No.	Questions																				
34.	<p>The following residual chlorine compounds are formed during the chlorination of water</p> <p>(a) NH_3Cl (b) NHCl_2 (c) HOCl (d) OCl</p> <p>(1) b, a, c, d (2) a, b, d, c (3) a, b, c, d (4) b, a, d, c</p>																				
35.	<p>Match the following :</p> <table border="1" data-bbox="284 857 1417 1149"> <thead> <tr> <th colspan="2">Set A</th> <th colspan="2">Set B</th> </tr> </thead> <tbody> <tr> <td>i</td> <td>Recarbonation</td> <td>1</td> <td>Activated carbon</td> </tr> <tr> <td>ii</td> <td>Chlorination</td> <td>2</td> <td>Trihalomethanes</td> </tr> <tr> <td>iii</td> <td>Taste & odour</td> <td>3</td> <td>Lime soda process</td> </tr> <tr> <td>iv</td> <td>Temperature inversion</td> <td>4</td> <td>Smog</td> </tr> </tbody> </table> <p>(1) i-2 ii-1 iii-3 iv-4 (2) i-3 ii-2 iii-1 iv-4 (3) i-1 ii-3 iii-4 iv-2 (4) i-4 ii-3 iii-2 iv-1</p>	Set A		Set B		i	Recarbonation	1	Activated carbon	ii	Chlorination	2	Trihalomethanes	iii	Taste & odour	3	Lime soda process	iv	Temperature inversion	4	Smog
Set A		Set B																			
i	Recarbonation	1	Activated carbon																		
ii	Chlorination	2	Trihalomethanes																		
iii	Taste & odour	3	Lime soda process																		
iv	Temperature inversion	4	Smog																		
36.	<p>In sanitary landfill, decomposition and chemical changes within organic content of the solid waste goes on. Consequential changes within land fill can be</p> <p>(a) Temperature changes within land fill (b) Product of gases like H_2S, CO, CO_2 & CH_4 (c) Destruction of pathogens (d) Production of other gases like SO_2 and NO_2</p> <p>Which of these statements are correct ?</p> <p>(1) a, b, c and d (2) a, b and c (3) a and b (4) b and c</p>																				
37.	<p>Methane formers are :</p> <p>(1) Obligate aerobes (2) Facultative bacteria (3) Obligate anaerobes (4) None of the above</p>																				

Question No.	Questions
43.	<p>Of the following mammals, which can survive without water for a whole year ?</p> <p>(1) Wild Ass (2) Gembok (3) Addax (4) None of the above</p>
44.	<p>Which group of plants is sensitive to airborne chemicals and is therefore employed as pollution indicator ?</p> <p>(1) algae (2) lichens (3) fungi (4) bryophytes</p>
45.	<p>The Moh's scale is measure of a mineral's :</p> <p>(1) Color (2) Density (3) Luster (4) Hardness</p>
46.	<p>Which technique can map the concentration of sulphur dioxide over a whole town by operating a gadget from one location ?</p> <p>(1) LIDAR (2) Spectrophotometry (3) GC (4) Mass spectroscopy</p>
47.	<p>What is eco-freeze ?</p> <p>(1) Halting ecological degradation (2) Stopping the ecological disaster (3) Planning an ecological balance (4) Stopping the manufacturing of environment modification weapons</p>
48.	<p>When a falling body has attained terminal velocity, the weight of the body is equal to :</p> <p>(1) Drag force-buoyant force (2) Buoyant force-Drag force (3) Drag force + buoyant force (4) None of the above</p>

Question No.	Questions
49.	Manometer is a device used for measuring : (1) Velocity of a point in a fluid (2) Pressusre at a point in a fluid (3) Discharge of a fluid (4) None of these
50.	The point through which the buoyancy force is acting is called : (1) Centre of pressure (2) Centre of gravity (3) Centre of buoyant force (4) None of these
51.	Tetraethyl Lead is added to gasoline to : (1) Lubricate internal engine parts (2) Increase the life of catalytic convertor (3) Prevent engine a knock and improve engine performance (4) Increase the efficienc ^r of gasoline combustion and improve milage
52.	The green house gas CO ₂ is chiefly found in : (1) Ionosphere (2) Stratosphere (3) Troposphere (4) Mesosphere
53.	Acid precipitation kills the fish by causing the release of : (1) Carbon monoxide (2) Mercury (3) Aluminum ions (4) Anticoagulants
54.	Which of the following is the correct order of increase in atomic size ? (1) Mg < Na ⁺ < F ⁻ < Al (2) Na ⁺ < F ⁻ < Al < Mg (3) Na ⁺ < Al < Mg < F ⁻ (4) Na ⁺ < F ⁻ < Mg < Al
55.	Which of the following is correctly matched ? (1) Copper-bauxite (2) Iron-galena (3) Mercury-cinnabar (4) Lead-magnetite

Question No.	Questions
56.	<p>Which satellite recorded the presence of an ozone hole ?</p> <p>(1) TIROS-N (2) GOES (3) NIMBUS-7 (4) Landstat-3</p>
57.	<p>Who changed the name of kubabul, one of the popular tree species suited for afforestation, to subabul ?</p> <p>(1) Manibhai Desai (2) Lal Bahadur Shastri (3) A.K.N. Reddy (4) Indira Gandhi</p>
58.	<p>The heavy metal that has seen application as a fungicide and is responsible for a type of poisoning called Hatter's shakes is ?</p> <p>(1) Mercury (2) Lead (3) Cadmium (4) Arsenic</p>
59.	<p>The major route for widespread distribution more persistent pesticide is:</p> <p>(1) soil (2) water (3) living organism (4) atmosphere</p>
60.	<p>Who used the term 'hot dilute soup' for Darwin's warm little pond ?</p> <p>(1) Oparin (2) Haldane (3) Lamarck (4) Wallace</p>
61.	<p>Notch is a device used for measuring the :</p> <p>(1) Rate of flow through pipes (2) Rate of flow through a small channel (3) Velocity through a pipe (4) Velocity through a small channel</p>

Question No.	Questions
62.	Rotameter is used for measuring : (1) Density of fluid (2) Velocity of fluid in pipes (3) Discharge of fluids (4) Viscosity of fluids
63.	One horse power is equal to : (1) 746 watts (2) 736 watts (3) 550 watts (4) 75 watts
64.	Beat is equal to : (1) One oscillation (2) Twice the oscillation (3) Half the oscillation (4) None of these
65.	A perfect gas obeys (1) Boyle's law (2) Charle's law (3) Boyle's and Charle's law (4) None of these
66.	The sum of internal energy and product of pressure and volume is called : (1) Entropy (2) Enthalpy (3) Heat supplied (4) None of these
67.	The compression ratios for engine is : (1) 5 to 8 (2) 15 to 20 (3) 3 to 6 (4) 30 to 40
68.	One bar is equal to : (1) 1.033 kgf/cm ² (2) 14.7 kgf/cm ² (3) 1.0197 kgf/cm ² (4) 1 kgf/cm ²

Question No.	Questions
74.	<p>The alkalinity of a water sample is 80 mg/L as CaCO₃. If the total hardness of the water sample is 112 mg/L as CaCO₃. What will be the carbonate and non-carbonate (in mg/L as CaCO₃) ?</p> <p>(1) 32 (2) 192 (3) 152 (4) 114</p>
75.	<p>If 20 lb of 10% strength solution is mixed with 30 lb of 1% strength solution. What is the percent strength of the mixture ?</p> <p>(1) 4.6 (2) 6.6 (3) 46 (4) 2.6</p>
76.	<p>Which of the instrument is based on Lambert Beer's law ?</p> <p>(1) Spectrophotometer (2) GLC (3) HPLC (4) AAS</p>
77.	<p>The chlorine dosage for water is 2.7 mg/L. If the chlorine residual after a 30 minute contact time is found to be 0.7 mg/L. What is the chlorine demand (in mg/L) ?</p> <p>(1) 2.0 (2) 1.4 (3) 2.7 (4) 3.4</p>
78.	<p>Which value of coefficient of correlation (r) shows strongest association between x and y variables ?</p> <p>(1) -0.33 (2) -0.950 (3) 0.565 (4) 0.750</p>
79.	<p>Permissible limits of SO₂ in residential areas (24h basis) as per NAAQMS is :</p> <p>(1) 60 mg/m³ (2) 120 mg/m³ (3) 80 mg/m³ (4) 30 mg/m³</p>
80.	<p>Which of the following industries does not require environmental clearance from the government ?</p> <p>(1) Cement industry (2) Paper and pulp industry (3) Sugar industry (4) Distillery</p>

Question No.	Questions																																								
81.	Producer gas is mixture of : (1) Carbon monoxide and nitrogen gas (2) Carbon dioxide and hydrogen gas (3) Hydrogen and water vapour (4) Oxygen and nitrogen gas																																								
82.	The digestion process taking place in a biogas plant is termed : (1) Anaerobic (2) Oxidation (3) Reduction (4) Aerobic digestion																																								
83.	Lead is one of the two most toxic chemicals found in petrol, which can cause brain damage and luekaemia, which is other ? (1) Sulphur (2) Benzene (3) Nitrogen oxide (4) SPM																																								
84.	The presence of hydrogen sulphide in biogas causes : (1) Reduction in biogas production rate (2) Corrosive effect (3) Acts as catalyst (4) None of the above																																								
85.	Match the List I and List II and select the correct answer from the codes given below the lists : <table border="1" data-bbox="272 1359 1182 1597"> <thead> <tr> <th></th> <th>List I</th> <th>List II</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Hard acid</td> <td>SO_4^{2-}</td> </tr> <tr> <td>B</td> <td>Soft acid</td> <td>RS^+</td> </tr> <tr> <td>C</td> <td>Hard base</td> <td>$\text{S}_2\text{O}_3^{2-}$</td> </tr> <tr> <td>D</td> <td>Soft base</td> <td>SO_3</td> </tr> </tbody> </table> Codes : <table border="1" data-bbox="277 1653 1190 1944"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>4</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>(2)</td> <td>4</td> <td>2</td> <td>1</td> <td>3</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>2</td> <td>1</td> <td>4</td> </tr> <tr> <td>(4)</td> <td>3</td> <td>2</td> <td>4</td> <td>1</td> </tr> </tbody> </table>		List I	List II	A	Hard acid	SO_4^{2-}	B	Soft acid	RS^+	C	Hard base	$\text{S}_2\text{O}_3^{2-}$	D	Soft base	SO_3		A	B	C	D	(1)	4	1	2	3	(2)	4	2	1	3	(3)	3	2	1	4	(4)	3	2	4	1
	List I	List II																																							
A	Hard acid	SO_4^{2-}																																							
B	Soft acid	RS^+																																							
C	Hard base	$\text{S}_2\text{O}_3^{2-}$																																							
D	Soft base	SO_3																																							
	A	B	C	D																																					
(1)	4	1	2	3																																					
(2)	4	2	1	3																																					
(3)	3	2	1	4																																					
(4)	3	2	4	1																																					

Question No.	Questions			
86.	Match the List I and List II and select the correct answer from the codes given below the lists :			
	List-I Particulate of the atmosphere)	List-II (Characteristics of the particulate)		
A	Aerosol	1. Combination of smoke of fog		
B	Fly ash	2. Minute particles with water		
C	Fume	3. Emitted by coal burning		
D	Smog	4. Made up of metal vapour		
Codes :				
	A	B	C	D
(1)	2	3	1	4
(2)	2	3	4	1
(3)	3	4	2	1
(4)	3	4	1	2
87.	Match the List I and List II and select the correct answer from the codes given below the lists :			
	List I (Element)	List II (Function in the body)		
A	Aluminium	1. Needed for normal growth		
B	Copper	2. Metabolism of Vitamin B12		
C	Cobalt	3. Electron transport enzyme complex		
D	Nickel	4. Protein transfer in serum		
Codes :				
	A	B	C	D
(1)	1	2	3	4
(2)	2	4	1	3
(3)	3	4	2	1
(4)	4	3	2	1

Question No.	Questions			
88.	Match the List I and List II and select the correct answer from the codes given below the lists :			
	List I	List II		
A	Food chain	1. Relationship of all the organisms in a given habitat		
B	Food web	2. Distinct communities of a particular		
C	Biomes	3. Producers, consumers and decomposers is given in a niche		
D	Autotroph	4. Photosynthesis		
Codes :				
	A	B	C	D
(1)	1	2	3	4
(2)	3	1	2	4
(3)	3	4	2	1
(4)	4	3	2	1
89.	Match the List I and List II and select the correct answer from the codes given below the lists :			
	List I	List II		
A	Biomass	1. Indirectly supplies all the energy required for sustaining life on the earth		
B	Biogas	2. Good means of storing diffuse and intermittent solar energy		
C	Petro-plants	3. An important solution to present energy crisis in rural areas		
D	Solar energy	4. Sources of liquid hydrocarbon		
Codes :				
	A	B	C	D
(1)	4	3	2	1
(2)	3	2	4	1
(3)	2	3	4	1
(4)	4	3	1	2

Question No.	Questions																																																																						
90.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="284 584 1417 860"> <thead> <tr> <th></th> <th>List I (Pollutant)</th> <th>List II (Sources)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>CO</td> <td>1. Industrial wastage</td> </tr> <tr> <td>B</td> <td>NO₂</td> <td>2. Crushing and burning of coal</td> </tr> <tr> <td>C</td> <td>SO₂</td> <td>3. Incomplete burning of carbonaceous fuel</td> </tr> <tr> <td>D</td> <td>H₂S</td> <td>4. Electric power generators and automobiles, which use fossil fuels</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="284 949 1190 1189"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> <tr> <td>(2)</td> <td>2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>1</td> <td>2</td> </tr> <tr> <td>(4)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> </tbody> </table>		List I (Pollutant)	List II (Sources)	A	CO	1. Industrial wastage	B	NO ₂	2. Crushing and burning of coal	C	SO ₂	3. Incomplete burning of carbonaceous fuel	D	H ₂ S	4. Electric power generators and automobiles, which use fossil fuels		A	B	C	D	(1)	4	3	2	1	(2)	2	3	4	1	(3)	3	4	1	2	(4)	3	4	2	1																														
	List I (Pollutant)	List II (Sources)																																																																					
A	CO	1. Industrial wastage																																																																					
B	NO ₂	2. Crushing and burning of coal																																																																					
C	SO ₂	3. Incomplete burning of carbonaceous fuel																																																																					
D	H ₂ S	4. Electric power generators and automobiles, which use fossil fuels																																																																					
	A	B	C	D																																																																			
(1)	4	3	2	1																																																																			
(2)	2	3	4	1																																																																			
(3)	3	4	1	2																																																																			
(4)	3	4	2	1																																																																			
91.	<p>Match list I (Treatment Units) with List II (Type of process) and select the correct answer using the codes given below the lists :</p> <table data-bbox="284 1330 1305 1671"> <thead> <tr> <th colspan="4">List I (Treatment Units)</th> <th colspan="4">List II (Type of process)</th> </tr> </thead> <tbody> <tr> <td>a.</td> <td>Trickling filter</td> <td></td> <td></td> <td>1.</td> <td>Symbiotic</td> <td></td> <td></td> </tr> <tr> <td>b.</td> <td>Activated sludge process</td> <td></td> <td></td> <td>2.</td> <td>Extended aeration</td> <td></td> <td></td> </tr> <tr> <td>c.</td> <td>Oxidation ditch</td> <td></td> <td></td> <td>3.</td> <td>Suspended growth</td> <td></td> <td></td> </tr> <tr> <td>d.</td> <td>Oxidation pond</td> <td></td> <td></td> <td>4.</td> <td>Attached growth</td> <td></td> <td></td> </tr> </tbody> </table> <p>Codes :</p> <table data-bbox="284 1756 1305 1917"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> <td>(2)</td> <td>4</td> <td>3</td> <td>1</td> <td>2</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>1</td> <td>2</td> <td>(4)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> </tbody> </table>	List I (Treatment Units)				List II (Type of process)				a.	Trickling filter			1.	Symbiotic			b.	Activated sludge process			2.	Extended aeration			c.	Oxidation ditch			3.	Suspended growth			d.	Oxidation pond			4.	Attached growth				A	B	C	D		A	B	C	D	(1)	3	4	2	1	(2)	4	3	1	2	(3)	3	4	1	2	(4)	4	3	2	1
List I (Treatment Units)				List II (Type of process)																																																																			
a.	Trickling filter			1.	Symbiotic																																																																		
b.	Activated sludge process			2.	Extended aeration																																																																		
c.	Oxidation ditch			3.	Suspended growth																																																																		
d.	Oxidation pond			4.	Attached growth																																																																		
	A	B	C	D		A	B	C	D																																																														
(1)	3	4	2	1	(2)	4	3	1	2																																																														
(3)	3	4	1	2	(4)	4	3	2	1																																																														

Question No.	Questions
92.	Function of algae in oxidation pond is to : (1) Provide a mat over surface of the oxidation pond so as to prevent evaporation of water (2) Provide oxygen for bacteria to degrade organic matter (3) Provide a greenish appearance to the pond (4) Prevent the odour nuisance
93.	When sewage enters a following river, the rapid depletion of dissolved oxygen is due to : (1) Change in temperature of the river (2) The suspended particles in the river and waste (3) Respiratory activity of aquatic plants (4) Microbial activity
94.	Which of the pollutant or pairs of pollutants is formed due to photochemical reactions ? (1) CO alone (2) O ₃ and PAN (3) PAN and NH ₃ (4) NH ₃ and CO
95.	Consider the following pair of the treatment units and impurities removed: (a) Grit chamber Sand and silt (b) Detritus tank Organic matter (c) Primary sedimentation tank Suspended impurities (d) Aeration tank of activated sludge process Oil and grease Which of the pairs are correctly matched ? (1) a and b (2) a, b, c and d (3) b, c and d (4) a and c

Question No.	Questions
99.	<p>Which of the materials are used as landfill sealants for the control of gas and leachate movements ?</p> <p>(a) Lime (b) Sand (c) Bentonite (d) Fly ash (e) Butyl rubber</p> <p>Select the correct answer using the codes given below :</p> <p>(1) a, b and c (2) d and e (3) c and e (4) a, b and d</p>
100.	<p>Which of the following air pollutants is/are responsible for photochemical smog ?</p> <p>(a) Oxides of nitrogen (b) Ozone (c) Unburnt hydrocarbons (d) Carbon monoxide</p> <p>Code :</p> <p>(1) a and b (2) c and d (3) b and d (4) a and d</p>

Question No.	Questions
1.	Notch is a device used for measuring the : (1) Rate of flow through pipes (2) Rate of flow through a small channel (3) Velocity through a pipe (4) Velocity through a small channel
2.	Rotameter is used for measuring : (1) Density of fluid (2) Velocity of fluid in pipes (3) Discharge of fluids (4) Viscosity of fluids
3.	One horse power is equal to : (1) 746 watts (2) 736 watts (3) 550 watts (4) 75 watts
4.	Beat is equal to : (1) One oscillation (2) Twice the oscillation (3) Half the oscillation (4) None of these
5.	A perfect gas obeys (1) Boyle's law (2) Charle's law (3) Boyle's and Charle's law (4) None of these
6.	The sum of internal energy and product of pressure and volume is called : (1) Entropy (2) Enthalpy (3) Heat supplied (4) None of these

Question No.	Questions
13.	Acid precipitation kills the fish by causing the release of : (1) Carbon monoxide (2) Mercury (3) Aluminum ions (4) Anticoagulants
14.	Which of the following is the correct order of increase in atomic size ? (1) $Mg < Na^+ < F^- < Al$ (2) $Na^+ < F^- < Al < Mg$ (3) $Na^+ < Al < Mg < F^-$ (4) $Na^+ < F^- < Mg < Al$
15.	Which of the following is correctly matched ? (1) Copper-bauxite (2) Iron-galena (3) Mercury-cinnabar (4) Lead-magnetite
16.	Which satellite recorded the presence of an ozone hole ? (1) TIROS-N (2) GOES (3) NIMBUS-7 (4) Landstat-3
17.	Who changed the name of kubabul, one of the popular tree species suited for afforestation, to subabul ? (1) Manibhai Desai (2) Lal Bahadur Shastri (3) A.K.N. Reddy (4) Indira Gandhi
18.	The heavy metal that has seen application as a fungicide and is responsible for a type of poisoning called Hatter's shakes is ? (1) Mercury (2) Lead (3) Cadmium (4) Arsenic
19.	The major route for widespread distribution more persistent pesticide is: (1) soil (2) water (3) living organism (4) atmosphere

Question No.	Questions																																								
25.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="268 600 1177 835"> <thead> <tr> <th></th> <th>List I</th> <th>List II</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Hard acid</td> <td>SO_4^{2-}</td> </tr> <tr> <td>B</td> <td>Soft acid</td> <td>RS^+</td> </tr> <tr> <td>C</td> <td>Hard base</td> <td>$\text{S}_2\text{O}_3^{2-}$</td> </tr> <tr> <td>D</td> <td>Soft base</td> <td>SO_3</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="268 902 1185 1193"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>4</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>(2)</td> <td>4</td> <td>2</td> <td>1</td> <td>3</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>2</td> <td>1</td> <td>4</td> </tr> <tr> <td>(4)</td> <td>3</td> <td>2</td> <td>4</td> <td>1</td> </tr> </tbody> </table>		List I	List II	A	Hard acid	SO_4^{2-}	B	Soft acid	RS^+	C	Hard base	$\text{S}_2\text{O}_3^{2-}$	D	Soft base	SO_3		A	B	C	D	(1)	4	1	2	3	(2)	4	2	1	3	(3)	3	2	1	4	(4)	3	2	4	1
	List I	List II																																							
A	Hard acid	SO_4^{2-}																																							
B	Soft acid	RS^+																																							
C	Hard base	$\text{S}_2\text{O}_3^{2-}$																																							
D	Soft base	SO_3																																							
	A	B	C	D																																					
(1)	4	1	2	3																																					
(2)	4	2	1	3																																					
(3)	3	2	1	4																																					
(4)	3	2	4	1																																					
26.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="276 1323 1417 1597"> <thead> <tr> <th></th> <th>List-I Particulate of the atmosphere)</th> <th>List-II (Characteristics of the particulate)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Aerosol</td> <td>1. Combination of smoke of fog</td> </tr> <tr> <td>B</td> <td>Fly ash</td> <td>2. Minute particles with water</td> </tr> <tr> <td>C</td> <td>Fume</td> <td>3. Emitted by coal burning</td> </tr> <tr> <td>D</td> <td>Smog</td> <td>4. Made up of metal vapour</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="284 1664 1198 1955"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>2</td> <td>3</td> <td>1</td> <td>4</td> </tr> <tr> <td>(2)</td> <td>2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>3</td> <td>4</td> <td>1</td> <td>2</td> </tr> </tbody> </table>		List-I Particulate of the atmosphere)	List-II (Characteristics of the particulate)	A	Aerosol	1. Combination of smoke of fog	B	Fly ash	2. Minute particles with water	C	Fume	3. Emitted by coal burning	D	Smog	4. Made up of metal vapour		A	B	C	D	(1)	2	3	1	4	(2)	2	3	4	1	(3)	3	4	2	1	(4)	3	4	1	2
	List-I Particulate of the atmosphere)	List-II (Characteristics of the particulate)																																							
A	Aerosol	1. Combination of smoke of fog																																							
B	Fly ash	2. Minute particles with water																																							
C	Fume	3. Emitted by coal burning																																							
D	Smog	4. Made up of metal vapour																																							
	A	B	C	D																																					
(1)	2	3	1	4																																					
(2)	2	3	4	1																																					
(3)	3	4	2	1																																					
(4)	3	4	1	2																																					

Question No.	Questions																																								
27.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="306 609 1439 846"> <thead> <tr> <th></th> <th>List I (Element)</th> <th>List II (Function in the body)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Aluminium</td> <td>1. Needed for normal growth</td> </tr> <tr> <td>B</td> <td>Copper</td> <td>2. Metabolism of Vitamin B12</td> </tr> <tr> <td>C</td> <td>Cobalt</td> <td>3. Electron transport enzyme complex</td> </tr> <tr> <td>D</td> <td>Nickel</td> <td>4. Protein transfer in serum</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="306 913 1216 1205"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>(2)</td> <td>2</td> <td>4</td> <td>1</td> <td>3</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> </tbody> </table>		List I (Element)	List II (Function in the body)	A	Aluminium	1. Needed for normal growth	B	Copper	2. Metabolism of Vitamin B12	C	Cobalt	3. Electron transport enzyme complex	D	Nickel	4. Protein transfer in serum		A	B	C	D	(1)	1	2	3	4	(2)	2	4	1	3	(3)	3	4	2	1	(4)	4	3	2	1
	List I (Element)	List II (Function in the body)																																							
A	Aluminium	1. Needed for normal growth																																							
B	Copper	2. Metabolism of Vitamin B12																																							
C	Cobalt	3. Electron transport enzyme complex																																							
D	Nickel	4. Protein transfer in serum																																							
	A	B	C	D																																					
(1)	1	2	3	4																																					
(2)	2	4	1	3																																					
(3)	3	4	2	1																																					
(4)	4	3	2	1																																					
28.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="306 1348 1439 1639"> <thead> <tr> <th></th> <th>List I</th> <th>List II</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Food chain</td> <td>1. Relationship of all the organisms in a given habitat</td> </tr> <tr> <td>B</td> <td>Food web</td> <td>2. Distinct communities of a particular</td> </tr> <tr> <td>C</td> <td>Biomes</td> <td>3. Producers, consumers and decomposers is given in a niche</td> </tr> <tr> <td>D</td> <td>Autotroph</td> <td>4. Photosynthesis</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="306 1706 1216 1944"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>(2)</td> <td>3</td> <td>1</td> <td>2</td> <td>4</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td>(4)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> </tbody> </table>		List I	List II	A	Food chain	1. Relationship of all the organisms in a given habitat	B	Food web	2. Distinct communities of a particular	C	Biomes	3. Producers, consumers and decomposers is given in a niche	D	Autotroph	4. Photosynthesis		A	B	C	D	(1)	1	2	3	4	(2)	3	1	2	4	(3)	3	4	2	1	(4)	4	3	2	1
	List I	List II																																							
A	Food chain	1. Relationship of all the organisms in a given habitat																																							
B	Food web	2. Distinct communities of a particular																																							
C	Biomes	3. Producers, consumers and decomposers is given in a niche																																							
D	Autotroph	4. Photosynthesis																																							
	A	B	C	D																																					
(1)	1	2	3	4																																					
(2)	3	1	2	4																																					
(3)	3	4	2	1																																					
(4)	4	3	2	1																																					

Question No.	Questions				
29.	Match the List I and List II and select the correct answer from the codes given below the lists :				
	List I	List II			
	A Biomass	1. Indirectly supplies all the energy required for sustaining life on the earth			
	B Biogas	2. Good means of storing diffuse and intermittent solar energy			
	C Petro-plants	3. An important solution to present energy crisis in rural areas			
	D Solar energy	4. Sources of liquid hydrocarbon			
	Codes :				
		A	B	C	D
	(1)	4	3	2	1
	(2)	3	2	4	1
	(3)	2	3	4	1
	(4)	4	3	1	2
30.	Match the List I and List II and select the correct answer from the codes given below the lists :				
	List I (Pollutant)	List II (Sources)			
	A CO	1. Industrial wastage			
	B NO ₂	2. Crushing and burning of coal			
	C SO ₂	3. Incomplete burning of carbonaceous fuel			
	D H ₂ S	4. Electric power generators and automobiles, which use fossil fuels			
	Codes :				
		A	B	C	D
	(1)	4	3	2	1
	(2)	2	3	4	1
	(3)	3	4	1	2
	(4)	3	4	2	1

Question No.	Questions																
31.	<p>Match List I with List II and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; text-align: center;">List I</td> <td style="width: 50%; text-align: center;">List II</td> </tr> <tr> <td>a. Sludge disposal</td> <td>1. Seeding</td> </tr> <tr> <td>b. Sludge digestion</td> <td>2. Biofilters</td> </tr> <tr> <td>c. Aerobic action</td> <td>3. Laggoning</td> </tr> <tr> <td>d. Recirculation</td> <td>4. Contact bed</td> </tr> </table> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; text-align: center;">A B C D</td> <td style="width: 50%; text-align: center;">A B C D</td> </tr> <tr> <td>(1) 3 1 4 2</td> <td>(2) 3 1 2 4</td> </tr> <tr> <td>(3) 1 3 2 4</td> <td>(4) 1 3 4 2</td> </tr> </table>	List I	List II	a. Sludge disposal	1. Seeding	b. Sludge digestion	2. Biofilters	c. Aerobic action	3. Laggoning	d. Recirculation	4. Contact bed	A B C D	A B C D	(1) 3 1 4 2	(2) 3 1 2 4	(3) 1 3 2 4	(4) 1 3 4 2
List I	List II																
a. Sludge disposal	1. Seeding																
b. Sludge digestion	2. Biofilters																
c. Aerobic action	3. Laggoning																
d. Recirculation	4. Contact bed																
A B C D	A B C D																
(1) 3 1 4 2	(2) 3 1 2 4																
(3) 1 3 2 4	(4) 1 3 4 2																
32.	<p>Ringlemann's scale is used to :</p> <p>(1) Measure CO</p> <p>(2) Measure CO₂</p> <p>(3) Grade density of smoke</p> <p>(4) Grade automobile exhaust gas</p>																
33.	<p>Which of the following pair is not correctly matched ?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(1) BOD</td> <td style="width: 50%;">Strength</td> </tr> <tr> <td>(2) Methane</td> <td>Product of anaerobic decomposition</td> </tr> <tr> <td>(3) COD</td> <td>Biodegradability of waste water</td> </tr> <tr> <td>(4) Nitrate</td> <td>Methamoglobinemia</td> </tr> </table>	(1) BOD	Strength	(2) Methane	Product of anaerobic decomposition	(3) COD	Biodegradability of waste water	(4) Nitrate	Methamoglobinemia								
(1) BOD	Strength																
(2) Methane	Product of anaerobic decomposition																
(3) COD	Biodegradability of waste water																
(4) Nitrate	Methamoglobinemia																

Question No.	Questions
37.	<p>Choose the correct answer :</p> <p>The stabilization of sewage in oxidation pond is due to action of :</p> <p>(1) Aerobic and anaerobic bacteria (2) Algae and bacteria (3) Organic and inorganic compound (4) Algae and protozoa</p>
38.	<p>Inversion is characterized by :</p> <p>(1) Upper cold and lower warm layer (2) Upper warm and lower cold layer (3) Both of the above (4) None of these</p>
39.	<p>Asbestos 'Silent Killer' can cause death of worker due to :</p> <p>(1) Heart attack (2) Lung cancer (3) Kidney failure (4) Brain damage</p>
40.	<p>Which is the first indoor pollutant of which the masses become aware ?</p> <p>(1) Carbon dioxide (2) Formaldehyde (3) Radon (4) Ozone</p>

Question No.	Questions
46.	<p>Which of the instrument is based on Lambert Beer's law ?</p> <p>(1) Spectrophotometer (2) GLC (3) HPLC (4) AAS</p>
47.	<p>The chlorine dosage for water is 2.7 mg/L. If the chlorine residual after a 30 minute contact time is found to be 0.7 mg/L. What is the chlorine demand (in mg/L) ?</p> <p>(1) 2.0 (2) 1.4 (3) 2.7 (4) 3.4</p>
48.	<p>Which value of coefficient of correlation (r) shows strongest association between x and y variables ?</p> <p>(1) -0.33 (2) -0.950 (3) 0.565 (4) 0.750</p>
49.	<p>Permissible limits of SO₂ in residential areas (24h basis) as per NAAQMS is :</p> <p>(1) 60 mg/m³ (2) 120 mg/m³ (3) 80 mg/m³ (4) 30 mg/m³</p>
50.	<p>Which of the following industries does not require environmental clearance from the government ?</p> <p>(1) Cement industry (2) Paper and pulp industry (3) Sugar industry (4) Distillery</p>
51.	<p>The bird Dodo became extinct because of :</p> <p>(1) its beautiful feather (2) its fearlessness (3) its curved beak (4) its melodious songs</p>

Question No.	Questions
58.	<p>When a falling body has attained terminal velocity, the weight of the body is equal to :</p> <p>(1) Drag force-buoyant force (2) Buoyant force-Drag force (3) Drag force + buoyant force (4) None of the above</p>
59.	<p>Manometer is a device used for measuring :</p> <p>(1) Velocity of a point in a fluid (2) Pressusre at a point in a fluid (3) Discharge of a fluid (4) None of these</p>
60.	<p>The point through which the buoyancy force is acting is called :</p> <p>(1) Centre of pressure (2) Centre of gravity (3) Centre of buoyant force (4) None of these</p>
61.	<p>Concentration of CO in vehicular exhaust is approximately :</p> <p>(1) Below 20% (2) 35% (3) 50% (4) Above 70%</p>
62.	<p>The size of the RSPM is :</p> <p>(1) Below 10 μm (2) 15-20 μm (3) 23 μm (4) above 25 μm</p>
63.	<p>The reliability of Gaussian Plume model is :</p> <p>(1) 98% (2) 95% (3) 70% (4) 50%</p>
64.	<p>In the ECD of gas chromatograph the electrons are :</p> <p>(1) Captured by the determinant species (2) Generated by the determinant species (3) Generated by nitrogen gas (4) None of the above</p>

Question No.	Questions
65.	<p>Which prevent the entry of foul gas and allows ventilation ?</p> <p>(1) Intercepting trap (2) Fresh air inlet</p> <p>(3) Gully trap (4) Flushing cistern</p>
66.	<p>Electrostatic precipitators are used as pollution control device for the removal of :</p> <p>(1) SO₂</p> <p>(2) NO_x</p> <p>(3) Suspended particulate matter</p> <p>(4) Volatile fatty acids</p>
67.	<p>Ozone layer in the upper atmosphere is getting depleted owing to its reaction with pollutant like :</p> <p>(1) Hydrogen peroxide (2) Carbon monoxide</p> <p>(3) Cholofluoro carbon (4) Volatile fatty acids</p>
68.	<p>Choose the correct statement in the following :</p> <p>The rate of 5 day BOD exerted at any time is</p> <p>(a) Directly proportional to BOD satisfied</p> <p>(b) Directly proportional to BOD remaining</p> <p>(c) Inversely proportional to BOD remaining</p> <p>(d) Inversely proportional to BOD satisfied</p> <p>Which of these statements are correct ?</p> <p>(1) a, b, c and d (2) a, b and c</p> <p>(3) a and d (4) b and c</p>

Question No.	Questions																																										
69.	<p>Which of the following pairs are correctly matched ?</p> <p>(1) SPM – a. Blood hemoglobin (2) NO – b. Vegetation (3) CO – c. Respiratory system (4) SO₂ – d. Building materials</p>																																										
70.	<p>Which of the following pairs are correctly matched ?</p> <p>(1) Reverberation time a. Time required to reduce noise by 60dB (2) NIPTS b. Responsible for permanent hearing loss (3) Sound foci c. Formed when sound waves are reflected from the convex surface (4) TTS d. Responsible for temporary hearing loss</p>																																										
71.	<p>Match list I (Treatment Units) with List II (Type of process) and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 50%;">List I</td> <td style="text-align: center; width: 50%;">List II</td> </tr> <tr> <td style="text-align: center;">(Treatment Units)</td> <td style="text-align: center;">(Type of process)</td> </tr> <tr> <td>a. Trickle filter</td> <td>1. Symbiotic</td> </tr> <tr> <td>b. Activated sludge process</td> <td>2. Extended aeration</td> </tr> <tr> <td>c. Oxidation ditch</td> <td>3. Suspended growth</td> </tr> <tr> <td>d. Oxidation pond</td> <td>4. Attached growth</td> </tr> </table> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 12.5%;">A</td> <td style="width: 12.5%;">B</td> <td style="width: 12.5%;">C</td> <td style="width: 12.5%;">D</td> <td style="width: 25%;"></td> <td style="width: 12.5%;">A</td> <td style="width: 12.5%;">B</td> <td style="width: 12.5%;">C</td> <td style="width: 12.5%;">D</td> </tr> <tr> <td>(1)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> <td>(2)</td> <td>4</td> <td>3</td> <td>1</td> <td>2</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>1</td> <td>2</td> <td>(4)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> </table>	List I	List II	(Treatment Units)	(Type of process)	a. Trickle filter	1. Symbiotic	b. Activated sludge process	2. Extended aeration	c. Oxidation ditch	3. Suspended growth	d. Oxidation pond	4. Attached growth		A	B	C	D		A	B	C	D	(1)	3	4	2	1	(2)	4	3	1	2	(3)	3	4	1	2	(4)	4	3	2	1
List I	List II																																										
(Treatment Units)	(Type of process)																																										
a. Trickle filter	1. Symbiotic																																										
b. Activated sludge process	2. Extended aeration																																										
c. Oxidation ditch	3. Suspended growth																																										
d. Oxidation pond	4. Attached growth																																										
	A	B	C	D		A	B	C	D																																		
(1)	3	4	2	1	(2)	4	3	1	2																																		
(3)	3	4	1	2	(4)	4	3	2	1																																		

Question No.	Questions								
72.	<p>Function of algae in oxidation pond is to :</p> <p>(1) Provide a mat over surface of the oxidation pond so as to prevent evaporation of water</p> <p>(2) Provide oxygen for bacteria to degrade organic matter</p> <p>(3) Provide a greenish appearance to the pond</p> <p>(4) Prevent the odour nuisance</p>								
73.	<p>When sewage enters a following river, the rapid depletion of dissolved oxygen is due to :</p> <p>(1) Change in temperature of the river</p> <p>(2) The suspended particles in the river and waste</p> <p>(3) Respiratory activity of aquatic plants</p> <p>(4) Microbial activity</p>								
74.	<p>Which of the pollutant or pairs of pollutants is formed due to photochemical reactions ?</p> <p>(1) CO alone</p> <p>(2) O₃ and PAN</p> <p>(3) PAN and NH₃</p> <p>(4) NH₃ and CO</p>								
75.	<p>Consider the following pair of the treatment units and impurities removed:</p> <table data-bbox="252 1532 1412 1756"> <tbody> <tr> <td>(a) Grit chamber</td> <td>Sand and silt</td> </tr> <tr> <td>(b) Detritus tank</td> <td>Organic matter</td> </tr> <tr> <td>(c) Primary sedimentation tank</td> <td>Suspended impurities</td> </tr> <tr> <td>(d) Aeration tank of activated sludge process</td> <td>Oil and grease</td> </tr> </tbody> </table> <p>Which of the pairs are correctly matched ?</p> <p>(1) a and b</p> <p>(2) a, b, c and d</p> <p>(3) b, c and d</p> <p>(4) a and c</p>	(a) Grit chamber	Sand and silt	(b) Detritus tank	Organic matter	(c) Primary sedimentation tank	Suspended impurities	(d) Aeration tank of activated sludge process	Oil and grease
(a) Grit chamber	Sand and silt								
(b) Detritus tank	Organic matter								
(c) Primary sedimentation tank	Suspended impurities								
(d) Aeration tank of activated sludge process	Oil and grease								

Question No.	Questions
87.	Which of the following is correct statement about CCl_4 ? (1) CCl_4 is used to extinguish the fire under the name Pyrene (2) CCl_4 resist to hydrolysis while leaving water due to non availability of d-orbital in carbon (3) $\text{CCl}_4 \xrightarrow{\text{AgNO}_3} \text{No ppt}$ (4) All of the above
88.	If the liquid is dispersed in solid medium, then this is called as : (1) Sol (2) emulsion (3) liquid aerosol (4) Gel
89.	In which case, the order of acidic strength is not corrected ? (1) $\text{HI} > \text{HBr} > \text{HCl}$ (2) $\text{HIO}_4 > \text{HBrO}_4 > \text{HClO}_4$ (3) $\text{HClO}_4 > \text{HClO}_3 > \text{HClO}_2$ (4) $\text{HF} > \text{H}_2\text{O} > \text{NH}_3$
90.	The correct order of acidic strength of the Carboxylic acid is : (1) Formic acid < benzoic acid < acetic acid (2) Formic acid < acetic acid < benzoic acid (3) Acetic acid < formic acid < benzoic acid (4) Acetic acid < benzoic acid < formic acid
91.	The radioactive isotope of hydrogen is called : (1) Radium (2) Protium (3) Deuterium (4) Tritium
92.	The material used to control neutrons are produced by the use of : (1) Heavy water (2) Paraffin (3) Graphite (4) Thorium

Question No.	Questions																				
93.	Polythene is polymer of : (1) Isobutane (2) Ethylene (3) Vinyl chloride (4) Propylene																				
94.	The following residual chlorine compounds are formed during the chlorination of water (a) NH_3Cl (b) NHCl_2 (c) HOCl (d) OCl (1) b, a, c, d (2) a, b, d, c (3) a, b, c, d (4) b, a, d, c																				
95.	Match the following : <table border="1" data-bbox="327 1041 1460 1344"> <thead> <tr> <th colspan="2">Set A</th> <th colspan="2">Set B</th> </tr> </thead> <tbody> <tr> <td>i</td> <td>Recarbonation</td> <td>1</td> <td>Activated carbon</td> </tr> <tr> <td>ii</td> <td>Chlorination</td> <td>2</td> <td>Trihalomethanes</td> </tr> <tr> <td>iii</td> <td>Taste & odour</td> <td>3</td> <td>Lime soda process</td> </tr> <tr> <td>iv</td> <td>Temperature inversion</td> <td>4</td> <td>Smog</td> </tr> </tbody> </table> (1) i-2 ii-1 iii-3 iv-4 (2) i-3 ii-2 iii-1 iv-4 (3) i-1 ii-3 iii-4 iv-2 (4) i-4 ii-3 iii-2 iv-1	Set A		Set B		i	Recarbonation	1	Activated carbon	ii	Chlorination	2	Trihalomethanes	iii	Taste & odour	3	Lime soda process	iv	Temperature inversion	4	Smog
Set A		Set B																			
i	Recarbonation	1	Activated carbon																		
ii	Chlorination	2	Trihalomethanes																		
iii	Taste & odour	3	Lime soda process																		
iv	Temperature inversion	4	Smog																		
96.	In sanitary landfill, decomposition and chemical changes within organic content of the solid waste goes on. Consequential changes within land fill can be (a) Temperature changes within land fill (b) Product of gases like H_2S , CO , CO_2 & CH_4 (c) Destruction of pathogens (d) Production of other gases like SO_2 and NO_2 Which of these statements are correct ? (1) a, b, c and d (2) a, b and c (3) a and b (4) b and c																				

Question No.	Questions
7.	<p>Ozone layer in the upper atmosphere is getting depleted owing to its reaction with pollutant like :</p> <p>(1) Hydrogen peroxide (2) Carbon monoxide (3) Chlofluoro carbon (4) Volatile fatty acids</p>
8.	<p>Choose the correct statement in the following :</p> <p>The rate of 5 day BOD exerted at any time is</p> <p>(a) Directly proportional to BOD satisfied (b) Directly proportional to BOD remaining (c) Inversely proportional to BOD remaining (d) Inversely proportional to BOD satisfied</p> <p>Which of these statements are correct ?</p> <p>(1) a, b, c and d (2) a, b and c (3) a and d (4) b and c</p>
9.	<p>Which of the following pairs are correctly matched ?</p> <p>(1) SPM – a. Blood hemoglobin (2) NO – b. Vegetation (3) CO – c. Respiratory system (4) SO₂ – d. Building materials</p>
10.	<p>Which of the following pairs are correctly matched ?</p> <p>(1) Reverberation time a. Time required to reduce noise by 60dB (2) NIPTS b. Responsible for permanent hearing loss (3) Sound foci c. Formed when sound waves are reflected from the convex surface (4) TTS d. Responsible for temporary hearing loss</p>

Question No.	Questions																				
11.	<p>The radioactive isotope of hydrogen is called :</p> <p>(1) Radium (2) Protium (3) Deuterium (4) Tritium</p>																				
12.	<p>The material used to control neutrons are produced by the use of :</p> <p>(1) Heavy water (2) Paraffin (3) Graphite (4) Thorium</p>																				
13.	<p>Polythene is polymer of :</p> <p>(1) Isobutane (2) Ethylene (3) Vinyl chloride (4) Propylene</p>																				
14.	<p>The following residual chlorine compounds are formed during the chlorination of water</p> <p>(a) NH_3Cl (b) NHCl_2 (c) HOCl (d) OCl</p> <p>(1) b, a, c, d (2) a, b, d, c (3) a, b, c, d (4) b, a, d, c</p>																				
15.	<p>Match the following :</p> <table border="1" data-bbox="248 1509 1385 1798"> <thead> <tr> <th colspan="2">Set A</th> <th colspan="2">Set B</th> </tr> </thead> <tbody> <tr> <td>i</td> <td>Recarbonation</td> <td>1</td> <td>Activated carbon</td> </tr> <tr> <td>ii</td> <td>Chlorination</td> <td>2</td> <td>Trihalomethanes</td> </tr> <tr> <td>iii</td> <td>Taste & odour</td> <td>3</td> <td>Lime soda process</td> </tr> <tr> <td>iv</td> <td>Temperature inversion</td> <td>4</td> <td>Smog</td> </tr> </tbody> </table> <p>(1) i-2 ii-1 iii-3 iv-4 (2) i-3 ii-2 iii-1 iv-4 (3) i-1 ii-3 iii-4 iv-2 (4) i-4 ii-3 iii-2 iv-1</p>	Set A		Set B		i	Recarbonation	1	Activated carbon	ii	Chlorination	2	Trihalomethanes	iii	Taste & odour	3	Lime soda process	iv	Temperature inversion	4	Smog
Set A		Set B																			
i	Recarbonation	1	Activated carbon																		
ii	Chlorination	2	Trihalomethanes																		
iii	Taste & odour	3	Lime soda process																		
iv	Temperature inversion	4	Smog																		

Question No.	Questions
28.	<p>When a falling body has attained terminal velocity, the weight of the body is equal to :</p> <p>(1) Drag force-buoyant force (2) Buoyant force-Drag force (3) Drag force + buoyant force (4) None of the above</p>
29.	<p>Manometer is a device used for measuring :</p> <p>(1) Velocity of a point in a fluid (2) Pressusre at a point in a fluid (3) Discharge of a fluid (4) None of these</p>
30.	<p>The point through which the buoyancy force is acting is called :</p> <p>(1) Centre of pressure (2) Centre of gravity (3) Centre of buoyant force (4) None of these</p>
31.	<p>Acid rain is global concern for the ecologist and environmental conservationists for which of the following reasons ?</p> <p>(a) The acid pollutants emitted in one country may be deposited as acid precipitation in other countries (b) Acid rain affects both aquatic system as well vegetation (c) It has distinct effect on soil microbiology and chemistry</p> <p>Select the correct answer using the codes given below :</p> <p>(1) a, b and c (2) a and b (3) a and c (4) b and c</p>

Question No.	Questions			
32.	Match the List I and List II and select the correct answer from the codes given below the lists :			
	List I (pollutants)	List II (Impacts)		
A	Sulphur oxides	1. Irritate eyes and nose, create brown haze, causes visible leaf damage, stunts plant growth		
B	Nitrogen oxides	2. Causes headaches, dizziness and nausea, reduces oxygen level in blood, impairs mental processes		
C	Carbon monoxide	3. Causes cancer, retards plant growth		
D	Hydrocarbon	4. Corrodes metal, causes acute and chronic leaf injury, attacks a wide variety of trees		
Codes :				
	A	B	C	D
(1)	4	1	2	3
(2)	2	3	4	1
(3)	3	4	2	1
(4)	4	3	1	2
33.	Match the List I and List II and select the correct answer from the codes given below the lists :			
	List I (water contaminant)	List II (Impacts)		
A	Pathogens	1. Lead to the growth of undesired aquatic life		
B	Heavy metals	2. Transmit communicable disease		
C	Nutrients	3. Are common in landfill leachate and waste water		
D	Suspended	4. Lead to the development of sludge deposits		
Codes :				
	A	B	C	D
(1)	4	3	2	1
(2)	2	3	4	1
(3)	2	3	1	4
(4)	4	3	1	2

Question No.	Questions
34.	Pick out wrong combination : (1) Fe^{+2} - Haemoglobin (2) Mg^{+2} - Photosynthesis (3) Se^{+2} - Krebs's cycle (4) Co^{+2} - Vitamin B_{12}
35.	Blood is isotonic with : (1) 0.16 M NaCl (2) Conc NaCl (3) 50% NaCl (4) 30% NaCl
36.	The migration of the colloidal particles under influence of an electric field is known as : (1) Electrolysis (2) Brownian movement (3) Cataphoresis (4) Dialysis
37.	Which of the following is correct statement about CCl_4 ? (1) CCl_4 is used to extinguish the fire under the name Pyrene (2) CCl_4 resist to hydrolysis while leaving water due to non availability of d-orbital in carbon (3) $\text{CCl}_4 \xrightarrow{\text{AgNO}_3} \text{No ppt}$ (4) All of the above
38.	If the liquid is dispersed in solid medium, then this is called as : (1) Sol (2) emulsion (3) liquid aerosol (4) Gel
39.	In which case, the order of acidic strength is not corrected ? (1) $\text{HI} > \text{HBr} > \text{HCl}$ (2) $\text{HIO}_4 > \text{HBrO}_4 > \text{HClO}_4$ (3) $\text{HClO}_4 > \text{HClO}_3 > \text{HClO}_2$ (4) $\text{HF} > \text{H}_2\text{O} > \text{NH}_3$

Question No.	Questions																																		
40.	<p>The correct order of acidic strength of the Carboxylic acid is :</p> <p>(1) Formic acid < benzoic acid < acetic acid (2) Formic acid < acetic acid < benzoic acid (3) Acetic acid < formic acid < benzoic acid (4) Acetic acid < benzoic acid < formic acid</p>																																		
41.	<p>Match List I with List II and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List I</p> <p>a. Sludge disposal</p> <p>b. Sludge digestion</p> <p>c. Aerobic action</p> <p>d. Recirculation</p> </td> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List II</p> <p>1. Seeding</p> <p>2. Biofilters</p> <p>3. Laggoning</p> <p>4. Contact bed</p> </td> </tr> </table> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; text-align: center;"> <table style="border: none;"> <tr> <td></td> <td style="padding: 0 10px;">A</td> <td style="padding: 0 10px;">B</td> <td style="padding: 0 10px;">C</td> <td style="padding: 0 10px;">D</td> </tr> <tr> <td>(1)</td> <td>3</td> <td>1</td> <td>4</td> <td>2</td> </tr> <tr> <td>(3)</td> <td>1</td> <td>3</td> <td>2</td> <td>4</td> </tr> </table> </td> <td style="width: 50%; text-align: center;"> <table style="border: none;"> <tr> <td></td> <td style="padding: 0 10px;">A</td> <td style="padding: 0 10px;">B</td> <td style="padding: 0 10px;">C</td> <td style="padding: 0 10px;">D</td> </tr> <tr> <td>(2)</td> <td>3</td> <td>1</td> <td>2</td> <td>4</td> </tr> <tr> <td>(4)</td> <td>1</td> <td>3</td> <td>4</td> <td>2</td> </tr> </table> </td> </tr> </table>	<p style="text-align: center;">List I</p> <p>a. Sludge disposal</p> <p>b. Sludge digestion</p> <p>c. Aerobic action</p> <p>d. Recirculation</p>	<p style="text-align: center;">List II</p> <p>1. Seeding</p> <p>2. Biofilters</p> <p>3. Laggoning</p> <p>4. Contact bed</p>	<table style="border: none;"> <tr> <td></td> <td style="padding: 0 10px;">A</td> <td style="padding: 0 10px;">B</td> <td style="padding: 0 10px;">C</td> <td style="padding: 0 10px;">D</td> </tr> <tr> <td>(1)</td> <td>3</td> <td>1</td> <td>4</td> <td>2</td> </tr> <tr> <td>(3)</td> <td>1</td> <td>3</td> <td>2</td> <td>4</td> </tr> </table>		A	B	C	D	(1)	3	1	4	2	(3)	1	3	2	4	<table style="border: none;"> <tr> <td></td> <td style="padding: 0 10px;">A</td> <td style="padding: 0 10px;">B</td> <td style="padding: 0 10px;">C</td> <td style="padding: 0 10px;">D</td> </tr> <tr> <td>(2)</td> <td>3</td> <td>1</td> <td>2</td> <td>4</td> </tr> <tr> <td>(4)</td> <td>1</td> <td>3</td> <td>4</td> <td>2</td> </tr> </table>		A	B	C	D	(2)	3	1	2	4	(4)	1	3	4	2
<p style="text-align: center;">List I</p> <p>a. Sludge disposal</p> <p>b. Sludge digestion</p> <p>c. Aerobic action</p> <p>d. Recirculation</p>	<p style="text-align: center;">List II</p> <p>1. Seeding</p> <p>2. Biofilters</p> <p>3. Laggoning</p> <p>4. Contact bed</p>																																		
<table style="border: none;"> <tr> <td></td> <td style="padding: 0 10px;">A</td> <td style="padding: 0 10px;">B</td> <td style="padding: 0 10px;">C</td> <td style="padding: 0 10px;">D</td> </tr> <tr> <td>(1)</td> <td>3</td> <td>1</td> <td>4</td> <td>2</td> </tr> <tr> <td>(3)</td> <td>1</td> <td>3</td> <td>2</td> <td>4</td> </tr> </table>		A	B	C	D	(1)	3	1	4	2	(3)	1	3	2	4	<table style="border: none;"> <tr> <td></td> <td style="padding: 0 10px;">A</td> <td style="padding: 0 10px;">B</td> <td style="padding: 0 10px;">C</td> <td style="padding: 0 10px;">D</td> </tr> <tr> <td>(2)</td> <td>3</td> <td>1</td> <td>2</td> <td>4</td> </tr> <tr> <td>(4)</td> <td>1</td> <td>3</td> <td>4</td> <td>2</td> </tr> </table>		A	B	C	D	(2)	3	1	2	4	(4)	1	3	4	2				
	A	B	C	D																															
(1)	3	1	4	2																															
(3)	1	3	2	4																															
	A	B	C	D																															
(2)	3	1	2	4																															
(4)	1	3	4	2																															
42.	<p>Ringlemann's scale is used to :</p> <p>(1) Measure CO (2) Measure CO₂ (3) Grade density of smoke (4) Grade automobile exhaust gas</p>																																		
43.	<p>Which of the following pair is not correctly matched ?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(1) BOD</td> <td style="width: 50%;">Strength</td> </tr> <tr> <td>(2) Methane</td> <td>Product of anaerobic decomposition</td> </tr> <tr> <td>(3) COD</td> <td>Biodegradability of waste water</td> </tr> <tr> <td>(4) Nitrate</td> <td>Methamoglobinemia</td> </tr> </table>	(1) BOD	Strength	(2) Methane	Product of anaerobic decomposition	(3) COD	Biodegradability of waste water	(4) Nitrate	Methamoglobinemia																										
(1) BOD	Strength																																		
(2) Methane	Product of anaerobic decomposition																																		
(3) COD	Biodegradability of waste water																																		
(4) Nitrate	Methamoglobinemia																																		

Question No.	Questions
47.	<p>Choose the correct answer :</p> <p>The stabilization of sewage in oxidation pond is due to action of :</p> <ul style="list-style-type: none">(1) Aerobic and anaerobic bacteria(2) Algae and bacteria(3) Organic and inorganic compound(4) Algae and protozoa
48.	<p>Inversion is characterized by :</p> <ul style="list-style-type: none">(1) Upper cold and lower warm layer(2) Upper warm and lower cold layer(3) Both of the above(4) None of these
49.	<p>Asbestos 'Silent Killer' can cause death of worker due to :</p> <ul style="list-style-type: none">(1) Heart attack(2) Lung cancer(3) Kidney failure(4) Brain damage
50.	<p>Which is the first indoor pollutant of which the masses become aware ?</p> <ul style="list-style-type: none">(1) Carbon dioxide(2) Formaldehyde(3) Radon(4) Ozone

Question No.	Questions
56.	<p>Which of the instrument is based on Lambert Beer's law ?</p> <p>(1) Spectrophotometer (2) GLC</p> <p>(3) HPLC (4) AAS</p>
57.	<p>The chlorine dosage for water is 2.7 mg/L. If the chlorine residual after a 30 minute contact time is found to be 0.7 mg/L. What is the chlorine demand (in mg/L) ?</p> <p>(1) 2.0 (2) 1.4</p> <p>(3) 2.7 (4) 3.4</p>
58.	<p>Which value of coefficient of correlation (r) shows strongest association between x and y variables ?</p> <p>(1) -0.33 (2) -0.950</p> <p>(3) 0.565 (4) 0.750</p>
59.	<p>Permissible limits of SO₂ in residential areas (24h basis) as per NAAQMS is :</p> <p>(1) 60 mg/m³ (2) 120 mg/m³</p> <p>(3) 80 mg/m³ (4) 30 mg/m³</p>
60.	<p>Which of the following industries does not require environmental clearance from the government ?</p> <p>(1) Cement industry (2) Paper and pulp industry</p> <p>(3) Sugar industry (4) Distillery</p>

Question No.	Questions																																
61.	<p>Match list I (Treatment Units) with List II (Type of process) and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List I (Treatment Units)</p> <p>a. Trickling filter</p> <p>b. Activated sludge process</p> <p>c. Oxidation ditch</p> <p>d. Oxidation pond</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> </table> </td> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List II (Type of process)</p> <p>1. Symbiotic</p> <p>2. Extended aeration</p> <p>3. Suspended growth</p> <p>4. Attached growth</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> </table> </td> </tr> </table>	<p style="text-align: center;">List I (Treatment Units)</p> <p>a. Trickling filter</p> <p>b. Activated sludge process</p> <p>c. Oxidation ditch</p> <p>d. Oxidation pond</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> </table>		A	B	C	D	(1)	3	4	2	1	(3)	3	4	1	2	<p style="text-align: center;">List II (Type of process)</p> <p>1. Symbiotic</p> <p>2. Extended aeration</p> <p>3. Suspended growth</p> <p>4. Attached growth</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> </table>		A	B	C	D	(2)	4	3	1	2	(4)	4	3	2	1
<p style="text-align: center;">List I (Treatment Units)</p> <p>a. Trickling filter</p> <p>b. Activated sludge process</p> <p>c. Oxidation ditch</p> <p>d. Oxidation pond</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> </table>		A	B	C	D	(1)	3	4	2	1	(3)	3	4	1	2	<p style="text-align: center;">List II (Type of process)</p> <p>1. Symbiotic</p> <p>2. Extended aeration</p> <p>3. Suspended growth</p> <p>4. Attached growth</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> </table>		A	B	C	D	(2)	4	3	1	2	(4)	4	3	2	1		
	A	B	C	D																													
(1)	3	4	2	1																													
(3)	3	4	1	2																													
	A	B	C	D																													
(2)	4	3	1	2																													
(4)	4	3	2	1																													
62.	<p>Function of algae in oxidation pond is to :</p> <p>(1) Provide a mat over surface of the oxidation pond so as to prevent evaporation of water</p> <p>(2) Provide oxygen for bacteria to degrade organic matter</p> <p>(3) Provide a greenish appearance to the pond</p> <p>(4) Prevent the odour nuisance</p>																																
63.	<p>When sewage enters a following river, the rapid depletion of dissolved oxygen is due to :</p> <p>(1) Change in temperature of the river</p> <p>(2) The suspended particles in the river and waste</p> <p>(3) Respiratory activity of aquatic plants</p> <p>(4) Microbial activity</p>																																

Question No.	Questions																																
68.	<p>Match List I (Nature of the solid) with List II (Unit operation or process connected with its removal) and select the correct answer using the codes given below the lists :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List I</p> <p>a. Dissolved solids</p> <p>b. Colloidal solids</p> <p>c. Volatile solids</p> <p>d. Settleable solids</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> </table> </td> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;">List II</p> <p>1. Sedimentation</p> <p>2. Reverse osmosis</p> <p>3. Coagulation</p> <p>4. Digestion</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> </table> </td> </tr> </table>	<p style="text-align: center;">List I</p> <p>a. Dissolved solids</p> <p>b. Colloidal solids</p> <p>c. Volatile solids</p> <p>d. Settleable solids</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> </table>		A	B	C	D	(1)	2	3	4	1	(3)	2	3	1	4	<p style="text-align: center;">List II</p> <p>1. Sedimentation</p> <p>2. Reverse osmosis</p> <p>3. Coagulation</p> <p>4. Digestion</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> </table>		A	B	C	D	(2)	3	2	4	1	(4)	3	2	1	4
<p style="text-align: center;">List I</p> <p>a. Dissolved solids</p> <p>b. Colloidal solids</p> <p>c. Volatile solids</p> <p>d. Settleable solids</p> <p>Codes :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(1)</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(3)</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> </table>		A	B	C	D	(1)	2	3	4	1	(3)	2	3	1	4	<p style="text-align: center;">List II</p> <p>1. Sedimentation</p> <p>2. Reverse osmosis</p> <p>3. Coagulation</p> <p>4. Digestion</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">A</td> <td style="width: 25%; text-align: center;">B</td> <td style="width: 25%; text-align: center;">C</td> <td style="width: 25%; text-align: center;">D</td> </tr> <tr> <td>(2)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> </tr> <tr> <td>(4)</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> </table>		A	B	C	D	(2)	3	2	4	1	(4)	3	2	1	4		
	A	B	C	D																													
(1)	2	3	4	1																													
(3)	2	3	1	4																													
	A	B	C	D																													
(2)	3	2	4	1																													
(4)	3	2	1	4																													
69.	<p>Which of the materials are used as landfill sealants for the control of gas and leachate movements ?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(a) Lime</td> <td style="width: 50%;">(b) Sand</td> </tr> <tr> <td>(c) Bentonite</td> <td>(d) Fly ash</td> </tr> <tr> <td>(e) Butyl rubber</td> <td></td> </tr> </table> <p>Select the correct answer using the codes given below :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(1) a, b and c</td> <td style="width: 50%;">(2) d and e</td> </tr> <tr> <td>(3) c and e</td> <td>(4) a, b and d</td> </tr> </table>	(a) Lime	(b) Sand	(c) Bentonite	(d) Fly ash	(e) Butyl rubber		(1) a, b and c	(2) d and e	(3) c and e	(4) a, b and d																						
(a) Lime	(b) Sand																																
(c) Bentonite	(d) Fly ash																																
(e) Butyl rubber																																	
(1) a, b and c	(2) d and e																																
(3) c and e	(4) a, b and d																																
70.	<p>Which of the following air pollutants is/are responsible for photochemical smog ?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(a) Oxides of nitrogen</td> <td style="width: 50%;">(b) Ozone</td> </tr> <tr> <td>(c) Unburnt hydrocarbons</td> <td>(d) Carbon monoxide</td> </tr> </table> <p>Code :</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">(1) a and b</td> <td style="width: 50%;">(2) c and d</td> </tr> <tr> <td>(3) b and d</td> <td>(4) a and d</td> </tr> </table>	(a) Oxides of nitrogen	(b) Ozone	(c) Unburnt hydrocarbons	(d) Carbon monoxide	(1) a and b	(2) c and d	(3) b and d	(4) a and d																								
(a) Oxides of nitrogen	(b) Ozone																																
(c) Unburnt hydrocarbons	(d) Carbon monoxide																																
(1) a and b	(2) c and d																																
(3) b and d	(4) a and d																																

Question No.	Questions
71.	Notch is a device used for measuring the : (1) Rate of flow through pipes (2) Rate of flow through a small channel (3) Velocity through a pipe (4) Velocity through a small channel
72.	Rotameter is used for measuring : (1) Density of fluid (2) Velocity of fluid in pipes (3) Discharge of fluids (4) Viscosity of fluids
73.	One horse power is equal to : (1) 746 watts (2) 736 watts (3) 550 watts (4) 75 watts
74.	Beat is equal to : (1) One oscillation (2) Twice the oscillation (3) Half the oscillation (4) None of these
75.	A perfect gas obeys (1) Boyle's law (2) Charle's law (3) Boyle's and Charle's law (4) None of these
76.	The sum of internal energy and product of pressure and volume is called : (1) Entropy (2) Enthalpy (3) Heat supplied (4) None of these
77.	The compression ratios for engine is : (1) 5 to 8 (2) 15 to 20 (3) 3 to 6 (4) 30 to 40

Question No.	Questions
78.	One bar is equal to : (1) 1.033 kgf/cm ² (2) 14.7 kgf/cm ² (3) 1.0197 kgf/cm ² (4) 1 kgf/cm ²
79.	Of the following gases, which one suffocates living beings even to death ? (1) carbon dioxide (2) carbon monoxide (3) hydrogen sulphide (4) sulphur dioxide
80.	A gas follows the law $PV^n = C$, of the value of $n = 1$, the process is known as : (1) adiabatic (2) isothermal (3) isotropic (4) polytrophic
81.	Tetraethyl Lead is added to gasoline to : (1) Lubricate internal engine parts (2) Increase the 'life of catalytic convertor (3) Prevent engine a knock and improve engine performance (4) Increase the efficiency of gasoline combustion and improve milage
82.	The green house gas CO ₂ is chiefly found in : (1) Ionosphere (2) Stratosphere (3) Troposphere (4) Mesosphere
83.	Acid precipitation kills the fish by causing the release of : (1) Carbon monoxide (2) Mercury (3) Aluminum ions (4) Anticoagulants

Question No.	Questions				
96.	Match the List I and List II and select the correct answer from the codes given below the lists :				
		List-I Particulate of the atmosphere)	List-II (Characteristics of the particulate)		
A	Aerosol		1. Combination of smoke of fog		
B	Fly ash		2. Minute particles with water		
C	Fume		3. Emitted by coal burning		
D	Smog		4. Made up of metal vapour		
Codes :					
		A	B	C	D
(1)	2		3	1	4
(2)	2		3	4	1
(3)	3		4	2	1
(4)	3		4	1	2
97.	Match the List I and List II and select the correct answer from the codes given below the lists :				
		List I (Element)	List II (Function in the body)		
A	Aluminium		1. Needed for normal growth		
B	Copper		2. Metabolism of Vitamin B12		
C	Cobalt		3. Electron transport enzyme complex		
D	Nickel		4. Protein transfer in serum		
Codes :					
		A	B	C	D
(1)	1		2	3	4
(2)	2		4	1	3
(3)	3		4	2	1
(4)	4		3	2	1

Question No.	Questions			
98.	Match the List I and List II and select the correct answer from the codes given below the lists :			
	List I	List II		
A	Food chain	1. Relationship of all the organisms in a given habitat		
B	Food web	2. Distinct communities of a particular		
C	Biomes	3. Producers, consumers and decomposers is given in a niche		
D	Autotroph	4. Photosynthesis		
Codes :				
	A	B	C	D
(1)	1	2	3	4
(2)	3	1	2	4
(3)	3	4	2	1
(4)	4	3	2	1
99.	Match the List I and List II and select the correct answer from the codes given below the lists :			
	List I	List II		
A	Biomass	1. Indirectly supplies all the energy required for sustaining life on the earth		
B	Biogas	2. Good means of storing diffuse and intermittent solar energy		
C	Petro-plants	3. An important solution to present energy crisis in rural areas		
D	Solar energy	4. Sources of liquid hydrocarbon		
Codes :				
	A	B	C	D
(1)	4	3	2	1
(2)	3	2	4	1
(3)	2	3	4	1
(4)	4	3	1	2

Question No.	Questions																																								
100.	<p>Match the List I and List II and select the correct answer from the codes given below the lists :</p> <table border="1" data-bbox="288 584 1430 875"> <thead> <tr> <th></th> <th>List I (Pollutant)</th> <th>List II (Sources)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>CO</td> <td>1. Industrial wastage</td> </tr> <tr> <td>B</td> <td>NO₂</td> <td>2. Crushing and burning of coal</td> </tr> <tr> <td>C</td> <td>SO₂</td> <td>3. Incomplete burning of carbonaceous fuel</td> </tr> <tr> <td>D</td> <td>H₂S</td> <td>4. Electric power generators and automobiles, which use fossil fuels</td> </tr> </tbody> </table> <p>Codes :</p> <table border="1" data-bbox="296 994 1211 1240"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> <tr> <td>(2)</td> <td>2</td> <td>3</td> <td>4</td> <td>1</td> </tr> <tr> <td>(3)</td> <td>3</td> <td>4</td> <td>1</td> <td>2</td> </tr> <tr> <td>(4)</td> <td>3</td> <td>4</td> <td>2</td> <td>1</td> </tr> </tbody> </table>		List I (Pollutant)	List II (Sources)	A	CO	1. Industrial wastage	B	NO ₂	2. Crushing and burning of coal	C	SO ₂	3. Incomplete burning of carbonaceous fuel	D	H ₂ S	4. Electric power generators and automobiles, which use fossil fuels		A	B	C	D	(1)	4	3	2	1	(2)	2	3	4	1	(3)	3	4	1	2	(4)	3	4	2	1
	List I (Pollutant)	List II (Sources)																																							
A	CO	1. Industrial wastage																																							
B	NO ₂	2. Crushing and burning of coal																																							
C	SO ₂	3. Incomplete burning of carbonaceous fuel																																							
D	H ₂ S	4. Electric power generators and automobiles, which use fossil fuels																																							
	A	B	C	D																																					
(1)	4	3	2	1																																					
(2)	2	3	4	1																																					
(3)	3	4	1	2																																					
(4)	3	4	2	1																																					

Maharshi Dayanand University Rohtak
Dept. of Environmental Sciences

M. Phil / Ph.D / URS Entrance Examination
Answer Key

Answer Key of Env Sci.				
Sr no.	A	B	C	D
1	1	1	2	4
2	1	1	3	1
3	2	3	2	4
4	2	3	3	1
5	2	1	3	2
6	1	3	2	3
7	4	4	2	3
8	1	4	3	2
9	3	2	2	3
10	4	4	2	1
11	1	1	3	3
12	1	3	2	4
13	3	3	4	2
14	3	2	3	1
15	1	2	3	2
16	3	2	3	1
17	4	2	4	3
18	4	2	1	2
19	2	2	4	3
20	4	2	2	2
21	3	4	1	2
22	2	1	1	1
23	4	4	2	3
24	3	1	2	2
25	3	2	2	4
26	3	3	1	1
27	4	3	4	2
28	1	2	1	3
29	4	3	3	2
30	2	1	4	3
31	2	3	1	1
32	1	4	3	1
33	3	2	3	3
34	2	1	2	3
35	4	2	2	1
36	1	1	2	3
37	2	3	2	4
38	3	2	2	4
39	2	3	2	2
40	3	2	2	4
41	2	2	2	1
42	3	1	4	3
43	2	3	3	3
44	3	2	1	2
45	3	4	1	2

[Signature]
Gauts

[Signature]
20.12.18

46	2	1	1	2
47	2	2	1	2
48	3	3	2	2
49	2	2	1	2
50	2	3	3	2
51	3	3	2	2
52	4	2	1	4
53	2	4	3	3
54	1	3	2	1
55	2	3	4	1
56	1	3	1	1
57	3	4	2	1
58	2	1	3	2
59	3	4	2	1
60	2	2	3	3
61	2	2	4	4
62	4	3	1	2
63	3	2	4	2
64	1	3	1	2
65	1	3	2	4
66	1	2	3	2
67	1	2	3	2
68	2	3	2	1
69	1	2	3	3
70	3	2	1	4
71	4	2	4	2
72	1	4	2	3
73	4	3	2	2
74	1	1	2	3
75	2	1	4	3
76	3	1	2	2
77	3	1	2	2
78	2	2	1	3
79	3	1	3	2
80	1	3	4	2
81	4	1	1	3
82	2	1	1	2
83	2	2	3	4
84	2	2	3	3
85	4	2	1	3
86	2	1	3	3
87	2	4	4	4
88	1	1	4	1
89	3	3	2	4
90	4	4	4	2
91	1	4	3	1
92	3	2	4	1

*Anders
Gents*

*B. S. West
20.12.18*

93	3	2	2	2
94	2	2	1	2
95	2	4	2	2
96	2	2	1	1
97	2	2	3	4
98	2	1	2	1
99	2	3	3	3
100	2	4	2	4

~~Asda~~
Gents

Bushop
20.12.18